ROCKY FLATS PLANT

EMD OPERATING PROCEDURES MANUAL **VOL I: FIELD OPERATIONS** Manual No.: New Manual No.:

Procedure No.:

Page: Effective Date:

Organization:

5-21000-OPS-FO

4-11000-ER-OPS-FO Table of Contents, Rev 67

1 of 3

06/24/94

Environmental Management

THIS IS ONE VOLUME OF A SIX VOLUME SET WHICH INCLUDES:

VOLUME I: FIELD OPERATIONS (FO) VOLUME II: GROUNDWATER (GW) VOLUME III: GEOTECHNICAL (GT) VOLUME IV: SURFACE WATER (SW) VOLUME V: ECOLOGY (EE) **VOLUME VI: AIR (AP)**

EG&G SUPERSEDED **COUMENT**

TABLE OF CONTENTS FOR VOLUME I: FIELD OPERATIONS

		_	E46 41
Procedure <u>No.</u>	Title	Rev. <u>No.</u>	Effective <u>Date</u>
FO.01	Air Monitoring and Dust Control	2	05/12/92
FO.03	General Equipment Decontamination	2	05/12/92
94-DMR-001021	Section FO.03 Text Addition	2	05/26/94
94-DMR-001010	Section FO.03 Text Modification	2	06/01/94
FO.04	Heavy Equipment Decontamination	2	05/12/92
94-DMR-001009	LIMITED SCOPE	•	00/04/04
	Section FO.04 Text Modification	2	06/01/94
FO.05	Handling of Purge and Development Water	2	05/12/92
94-DMR-000278	Groundwater Monitoring Modifications	2	02/25/94
FO.06	Handling of Personal Protective Equipment	2	05/12/92
FO.07	Handling of Decontamination Water and		
	Wash Water	2	05/12/92
`•94-DMR-001175	LIMITED SCOPE OU 11 Modification	2	06/20/94

DOCUMENT CLASSIFICATION REVIEW WAIVER FER R.B. HOFFMAN, CLASSIFICATION OFFICE JUNE 11, 1991

ROCKY FLATS PLANT

EMD OPERATING
PROCEDURES MANUAL
VOL I: FIELD OPERATIONS

Manual No.: New Manual No.: Procedure No.:

Procedure No.: Page:

Effective Date: Organization:

5-21000-OPS-FO 4-11000-ER-OPS-FO

Table of Contents, Rev 67

2 of 3 06/24/94

Environmental Management

	,	· · · · · · · · · · · · · · · · · · ·	
Procedure <u>No.</u>	<u>Title</u>	Rev. <u>No.</u>	Effective <u>Date</u>
FO.08	Handling of Drilling Fluids and Cuttings	2	05/12/92
DCN 93.01	Better Consistency of Drum Handling	2	06/29/93
FO.09 FO.10	Handling of Residual Samples Receiving, Labeling, and Handling	2	05/12/92
FO.10	Environmental Materials Containers	2	05/12/92
DCN 93.04	Sample to Drum Traceability	2	06/23/93
DCN 93.05	Drum Labeling Change	2	06/29/93
DCN 93.06	Drum Sample Numbers	2 2 2	06/29/93
DCN 93.07	SVE Sampling Overlap	2	08/18/93
93-DMR-000677	DMR		11/01/93
94-DMR-000244	Drying Agent Modification	2	03/14/94
94-DMR-000558	Form Modification	2	04/15/94
FO.11	Field Communications	2 .	05/12/92
FO.12	Decontamination Facility Operations	2	05/12/92
FO.13	Containerization, Preserving, Handling and Shipping of Soil and Water Samples	2	05/12/92
93-DMR-000530	Section FO.13 Modification	2	11/04/93
93-DMR-000667	Section FO.13 Modification	2	11/20/93
94-DMR-000143	Composite Sampling Clarification	2	02/11/94
FO.14	Field Data Management	2	05/12/92
DCN 93.05	Replacement of Form 14 C	2	10/06/93
FO.15	Photoionization Detectors (PIDs) and Flame Ionization Detectors (FIDs)	2	05/12/92
FO.16	Field Radiological Measurements	2	05/12/92
DCN 93.02	LUDLUM/FIDLER Guidance	2	06/29/93
FO.17	Determining Out-Of-Specification Analytical Results for Environmental Samples		To Be Added

ROCKY FLATS PLANT

EMD OPERATING
PROCEDURES MANUAL
VOL I: FIELD OPERATIONS

Manual No.: New Manual No.:

4

5-21000-OPS-FO 4-11000-ER-OPS-FO

Procedure No.:

Table of Contents, Rev 67

Page:

3 of 3 06/24/94

Effective Date: Organization:

Environmental Management

Procedure <u>No.</u>		<u>Title</u>	Rev. <u>No.</u>		Effective <u>Date</u>
FO.18		Environmental Sample Radioactivity Content Screening	1		05/12/92
FO.19		Base Laboratory Work	2		05/12/92
FO. 23		Management of Soil and Sediment Investigative Derived Materials (IDM)		0	01/11/94
94-DMR-000	137	Training Requirements Clarification		0	01/28/94
94-DMR-000		Section FO.23 Modifications		0	02/09/94
FO.25	4-B11-	ER-OPS-FO.25 Shipment of Radioactive Materials Samples		0	12/01/93
FO.27	4-BO1-	ER-OPS-FO.27 Collection of Floor/Equipment Hot Water Rinsate Samples		0	07/26/93
DCN 93.01		VOC Preservatives		0	08/11/93
DCN 93.02		Fresh Water Samples		0	08/30/93
•FO.29	4-H46-	ENV-OPS-FO.29		0	06/24/94
FO.32	4-I50-E	NV-OPS-FO.32 Treated Effluent Discharge Operable Unit 1 (OU Building 891	1),	0	04/13/94

Rocky Flats Plant

4-H46-ENV-OPS-FO.29

REVISION 0

DISPOSITION OF SOIL AND SEDIMENT INVESTIGATION-DERIVED MATERIALS

APPROVED BY: Associate General Manager, Environmental Restoration Management	/ 3.G.STIGER Print Name	/ 5-17-9 y Date	
Quality Assurance Program Manager, Environmental Restoration Management	1 M.C. Brooks Print Name	/ 5-/7-94 Date	
Assistant Manager fuve per la Environmental Restoration Division DOE, Rocky Flats Field Office	Print Name Print Name From Jessie Fo Sue G. St	Date M. Roberson (ER:BM: C5	
Environmental Protection Agency Approval Required: 2	Yes □ No	·gercs	814
Responsible Organization: Environmental Restoration Management	gement Effective Date:	6-24-94 Dar	

CONCURRENCE BY THE FOLLOWING DISCIPLINES IS DOCUMENTED IN THE PROCEDURE HISTORY FILE:

ERM Remediation Project Management
ERM Geosciences
ERM Environmental Engineering & Technology
ERM Environmental Operations Management
ERM Sample Management
ERM Solar Ponds Project
Radiological Engineering
Industrial Hygiene
Occupational Safety

EG&G SUPERSEDED DOCUMENT

USE CATEGORY 3

ORC review not required

Periodic review frequency: I year from the effective date

5/12/94

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 2 OF 70

LIST OF EFFECTIVE PAGES

Pages	Effective Date	Change Number
1-70	05/31/94	
5, 37, 37A	1/15/94	94-DMR-001226

TOTAL NUMBER OF PAGES: 70

5/12/94

TABLE OF CONTENTS

Section	<u>on</u>		Page
	TIT	LE PAGE	1
	LIS	Γ OF EFFECTIVE PAGES	
		BLE OF CONTENTS	
			•
	1.	PURPOSE	5
	2.	SCOPE	5
	3.	OVERVIEW	6
	3.1	Background Comparison	7
	3.2	TCLP Constituent of Concern Comparison	7
	3.3	IDM RCRA Constituents of Concern Evaluation and RCRA Risk Analysis	
	3.4	Inclusive Risk Analysis	
	3.5	Final IDM Classification	9
	4.	DEFINITIONS	10
	5.	RESPONSIBILITIES	11
	5.1	ERM Environmental Engineering & Technology (EE&T)	11
	5.2	ERM Environmental Operations Management (EOM)	11
	5.3	ERM Project File Center (PFC)	11
	5.4	ERM Project Manager (PM)	11
	5.5	ERM Risk Management Personnel	11
	5.6	ERM Sample Management - RFEDS	12
•	6.	TRAINING	12
	7.	INSTRUCTIONS	13
	7.1	Review of Form FO.23A	13
	7.2	Review of Process Knowledge and Analytical Results	14
	7.3	Adequacy Determination Form	14
-	7.4	Data Management	18
	7.5	Comparison of Reported Detection Limits	23
-	7.6	Calculating Average Concentrations	23
-	7.7	Metals Comparison	

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 4 OF 70

5/12/94

TABLE OF CONTENTS (continued)

Section	<u>on</u>			Page
	7.8	TCLP Compa	rison	26
	7.9	-	Constituents of Concern	
	7.10		CRA Risk Analysis (Form FO.29B)	
			clusive Risk Analysis (Form FO.29C)	
			M	
	7.12	Wallaging ID	vi	30
	8.	RECORDS		38
	9.	REFERENCE	s	39
		Appendixes		
		Appendix 1,	IDM Evaluation Flow Chart	41
		Appendix 2,	Form FO.29A, IDM RCRA Constituents of Concern and TCLP	
		•	Determination and Form FO.29D, Adequacy Determination	43
		Appendix 3,	IDM RCRA Constituents of Concern	45
		Appendix 4,	Form FO.29B, RCRA Risk Analysis	51
		Appendix 5,	Form FO.29C, Inclusive Risk Analysis	52
		Appendix 6,	TCLP Regulatory Levels and Table of Risk-based Concentrations	53
		Appendix 7,	Form FO.29E, Computer-generated Classification of IDM	64
		Appendix 8,	Risk-analysis Method	65

1. PURPOSE

94-DMR-001226

This procedure is an interim procedure for classifying the backlog of soil and sediment investigation-derived material (IDM) generated from environmental investigations. Specifically, this procedure is used to determine a risk-based disposition of soil and sediment drums being managed in accordance with 4-F99-ENV-OPS-FO.23, Management of Soil and Sediment Investigation-derived Materials. This procedure, although specific for drums, may be extended to other containers such as crates or half crates, and to uncontained waste piles. IDM generated in the future will be classified in accordance with a modified procedure for the disposition of IDM. The modifications to this procedure will incorporate currently existing plant procedures and SW-846.

2. SCOPE

This procedure applies to all EG&G Rocky Flats, Inc. (EG&G) Environmental Restoration Management (ERM) employees and subcontractors involved in the disposition of soil and sediment IDM. A flow chart outlining the processes described in this procedure is shown in Appendix 1, IDM Evaluation Flow Chart.

This procedure addresses the following topics:

- Review of Form FO.23A
- Review of process knowledge and analytical results [in accordance with Appendix 2, Form FO.29A, IDM Resource Conservation Recovery Act (RCRA) Constituent of Concern and Toxicity Characteristic Leaching Procedure (TCLP) Determination (Form FO.29A) and Form FO.29D, Adequacy Determination (Form FO.29D)]
- Adequacy Determination Form (in accordance with Form FO.29D, Adequacy Determination Form in Appendix 2)
- Data management
- Comparison of reported detection limits (DL)
- Calculating average concentrations
- Metals comparison
- TCLP comparison
- IDM RCRA Constituents of Concern (in accordance with Appendix 3, IDM RCRA Constituents of Concern)
- Performing RCRA risk analysis [in accordance with Appendix 4, Form FO.29B,
 RCRA Risk Analysis (Form FO.29B)]
- Performing inclusive risk analysis [in accordance with Appendix 5, Form FO.29C, Inclusive Risk Analysis (Form FO.29C)]
- Managing IDM

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 6 OF 70

3. OVERVIEW

This overview provides a descriptive summary of the steps required to complete 4-H46-ENV-OPS-FO.29. Chemical concentrations of various constituents in soils and sediments in drums are classified either by analytical results from corresponding field samples or by analytical results from IDM samples. The analyses are performed in accordance with approved individual project-specific work plans. Analytical results are recorded on Form FO.29A (Appendix 2). Radioactivity determinations will be addressed at a later date. Measured levels of organic compounds and metals detected in the soil and sediment IDM are compared with criteria defined in this procedure and are ultimately classified as one of the following:

Case No. 1:

Soil and sediment that contain IDM RCRA Constituents of Concern and/or IDM Constituents of Concern, which do not exhibit the characteristics of corrosivity, reactivity, or ignitability, which do not exceed adjusted TCLP regulatory levels, the RCRA risk-analysis criteria, the inclusive risk-analysis criteria, or that do not contain any metals above background and organics above the DL, and can be managed and disposed of in accordance with 4-F99-ENV-OPS-FO.23. However, an independent radiological evaluation is still required.

Case No. 2:

Soil and sediment that contain IDM RCRA Constituents of Concern (Appendix 3) which exhibit the characteristics of corrosivity, reactivity or ignitability, or exceed adjusted TCLP regulatory levels and/or exceed RCRA risk-analysis criteria, and will require management as a RCRA hazardous waste. However, an independent radiological evaluation is still required.

Case No. 3:

Soil and sediment that contain IDM RCRA Constituents of Concern and IDM Constituents of Concern exceeding inclusive risk-analysis criteria, and require management in accordance with the site-specific Record of Decision (ROD) when issued. However, an independent radiological evaluation is still required.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 7 OF 70

3.1 Background Comparison

It is unnecessary to assess the impact of metals detected at naturally occurring levels. To define the presence of constituents above background levels in soils and sediments, the concentrations of detected metals in the materials (or the average concentration when the drum contains IDM from more than one sampling interval in the borehole) will be compared with the mean plus two standard deviations (mean + 2SD) of background data, as defined using data from the Department of Energy (DOE) Background Geochemical Characterization Report. If the concentration of a metal is below the background mean + 2SD, the metal will be dropped from further consideration. If a background mean + 2SD cannot be obtained for a particular metal, that metal will be retained for further consideration.

3.2 TCLP Constituent of Concern Comparison

IDM with metals detected in concentrations above background mean + 2SD, metals with no associated mean + 2SD, and organic compounds detected above the Rocky Flats Environmental Database System (RFEDS) DL will be evaluated to determine if they include TCLP Constituents of Concern. TCLP Constituents of Concern are those constituents defined in 6 CCR 1007-3 Section 261.24. If TCLP Constituents of Concern are present, a TCLP Constituent of Concern comparison will be performed.

TCLP regulatory levels are determined for leachate extracted from a solid matrix and are expressed in terms of mg/L. However, soil and sediment IDM analytical results are reported in terms of mg/kg. The TCLP test itself has not been performed on most Rocky Flats Plant (RFP) investigation samples. Therefore, an approximation factor (AF) is used to convert the TCLP regulatory level to a soil concentration for comparison to soil analytical results. An AF of 20 has been selected for this purpose as required by the SW-846 Method 1311 for material containing greater than or equal to 0.5% solids. No TCLP comparison will be performed for constituents that do not have established TCLP regulatory levels, as identified in 6 CCR 1007-3 Section 261.24 or in Appendix 6, TCLP Regulatory Levels and Table of Risk-based Concentrations.



4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 8 OF 70

3.2 TCLP Constituent of Concern Comparison (continued)

If any one TCLP constituent concentration in the IDM exceeds the AF-adjusted TCLP regulatory level, then the corresponding drummed soil or sediment IDM will be managed as a RCRA waste. Even if an AF-adjusted TCLP regulatory level is exceeded, the remaining constituents in the IDM will be retained for evaluation in the RCRA risk analysis described in this procedure. Furthermore, constituents that do not exceed the adjusted TCLP comparison will be retained for evaluation in the RCRA and/or inclusive risk analysis described in this procedure.

3.3 IDM RCRA Constituents of Concern Evaluation and RCRA Risk Analysis

After the IDM has been evaluated to determine if it contains any TCLP Constituents of Concern, the IDM will then be evaluated to determine if any other IDM RCRA Constituents of Concern are present. Appendix 3 contains IDM RCRA Constituents of Concern. The IDM RCRA Constituents of Concern listed in Appendix 3 include all RCRA Appendix VIII constituents, except tentatively identified compounds (TICs), that have been reported as of 03/01/94 in the RFEDS. If a Constituent of Concern is reported from RFEDS but is not listed in Appendix 3, then the Constituent of Concern will be compared with Appendix VIII to 6 CCR 1007-3 Part 261 to determine if the Constituent of Concern is a RCRA waste. If any IDM RCRA Constituents of Concern are present, or any identified RCRA waste is present, a RCRA risk analysis will be performed. If IDM RCRA Constituents of Concern are not present, an inclusive risk analysis will be performed.

Both the RCRA and inclusive risk analyses evaluate the human exposure pathways of direct ingestion of soil, dermal absorption of constituents from soil, inhalation of suspended (airborne) soil, and ingestion of food grown in contaminated soil. Chemical-specific risk-based concentrations (RBCs) for soil are derived such that the risk from long-term exposure to the chemical concentration in soil corresponds to either a 10⁶ excess cancer risk or a Hazardous Quotient (HQ) of 1 for noncarcinogenic effects. Ratios of the chemical concentration in the IDM to the RBC are calculated. Then, the ratios of the constituent concentrations to the RBCs are summed, yielding a sum of carcinogenic risk ratios and a sum of noncarcinogenic hazard ratios.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 9 OF 70

3.3 IDM RCRA Constituents of Concern Evaluation and RCRA Risk Analysis (continued)

For IDM RCRA Constituents of Concern, if either the sum for carcinogenic effects exceeds 1 (representing a cumulative 10-6 risk level) for exposure to multiple carcinogens or the sum for noncarcinogenic effects exceeds 1 [representing a cumulative Hazard Index (HI) of 1], the RCRA risk-analysis criteria are exceeded. If the RCRA risk-analysis criteria are exceeded, the IDM will be managed as a RCRA waste. If the IDM do not exceed the RCRA risk-analysis criteria, the IDM will be further evaluated in the inclusive risk analysis.

3.4 <u>Inclusive Risk Analysis</u>

An inclusive risk analysis will be performed on all IDM that did not exceed the RCRA risk-analysis criteria. The inclusive risk analysis is similar to the RCRA risk analysis except that all organic compounds detected above DLs and all metals above background levels are assessed whether they are IDM RCRA Constituents of Concern or not. The ratios of the constituent concentrations to the RBCs are summed as is done in the RCRA risk analysis.

For all IDM Constituents of Concern, if either the sum for carcinogenic effects exceeds 1 (representing a cumulative 10-6 risk level) or the sum for noncarcinogenic effects exceeds 1 (representing a cumulative HI of 1), the inclusive risk-analysis criteria are exceeded. If the inclusive risk-analysis criteria are exceeded, the IDM will be managed as a non-RCRA [or Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)] waste. If the inclusive risk-analysis criteria are not exceeded, the IDM will require management in accordance with 4-F99-ENV-OPS-FO.23.

3.5 Final IDM Classification

Based upon the results of the steps outlined in this procedure, the IDM will ultimately be classified as one of the following:

Case No. 1:

If the soil and sediment IDM previously evaluated did not exhibit the characteristics of corrosivity, ignitability, or reactivity, did not exceed the adjusted TCLP regulatory level, the RCRA risk-analysis criteria, and the inclusive risk-analysis criteria, or did not contain any metals above background and organic components above the DL, then the IDM can be managed as uncontaminated and disposed of in accordance with 4-F99-ENV-OPS-FO.23. However, an independent radiological evaluation is still required.

3.5 Final IDM Classification (continued)

Case No. 2:

If the soil and sediment IDM previously evaluated exhibited the characteristics of corrosivity, ignitability or reactivity or exceeded the adjusted TCLP regulatory level, and/or the RCRA risk-analysis criteria, then the IDM will require management as a RCRA hazardous waste. However, an independent radiological evaluation is still required.

Case No. 3:

If the soil and sediment IDM previously evaluated exceeded the inclusive risk-analysis criteria, then the IDM will require management as a non-RCRA waste containing Constituents of Concern in accordance with the site-specific ROD, when issued. However, an independent radiological evaluation is still required.

4. **DEFINITIONS**

Toxicity Characteristic Leaching Procedure (TCLP). An analytical method for extracting leachates to determine the mobility of both organic and inorganic contaminants present in liquid, solid, and multiphasic wastes. TCLP Constituents of Concern are those constituents as defined in 6 CCR 1007-3 Section 261.24. Although analytical results for soil and sediment IDM are expressed in terms of mg/kg, the results of TCLP analyses are expressed in terms of mg/L, and for these purposes, are considered equivalent to parts per million (ppm).

Reported Detection Limits (DLs). Detection limits reported in the RFEDS.

Risk-based Concentrations (RBCs). Concentration levels for individual chemicals in soil that correspond to either a 10⁻⁶ excess cancer risk or an HQ of 1 for noncarcinogenic effects.

 $\underline{\text{Mean} + 2SD}$. Threshold limits of background data, as defined using data from the DOE Background Geochemical Characterization Report. The mean + 2SD provides the value to define the presence of constituents above background levels in soils and sediments. The mean + 2SD will be used in this procedure. Because most metal distributions in the background data are neither normal nor lognormal, the more conservative approach, in other words, the use of the mean and standard deviation as computed assuming a normal distribution, will be used for this procedure.

5. RESPONSIBILITIES

5.1 ERM Environmental Engineering & Technology (EE&T)

Documents personnel qualifications to perform this procedure in the project Quality Assurance (QA) files.

Ensures that this procedure is performed correctly.

5.2 ERM Environmental Operations Management (EOM)

Manages soil and sediment IDM in permitted and interim-status storage areas in accordance with applicable regulations and procedures.

5.3 ERM Project File Center (PFC)

Manages quality-related forms transmitted to the ERM PFC in accordance with 2-G18-ER-ADM-17.01, Quality Assurance Records Management.

5.4 ERM Project Manager (PM)

Evaluates analytical data from RFEDS to determine disposition of soil and sediment IDM.

Approves the data adequacy determination form.

Approves final soil determinations.

Assigns waste codes and labels the soil and sediment IDM.

5.5 ERM Risk Management Personnel

Conducts or oversees all risk analyses required by this procedure.

Recalculates risk-based soil concentrations by using up-to-date toxicity information on an annual basis in accordance with this procedure.

Revises the IDM RCRA Constituents of Concern list and the IDM Constituents of Concern list on an annual or as-needed basis as new Constituents of Concern are identified.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 12 OF 70

5.6 ERM Sample Management - RFEDS

Conducts data management.

6. TRAINING

ERM EE&T

- [1] Ensure that all personnel are appropriately trained and qualified to perform the duties, tasks, and responsibilities of their assigned jobs.
- [2] Ensure that personnel training and qualification requirements for activities described in this procedure have been identified by the ERM Training and Qualification group.
- [3] Ensure that ERM EG&G subcontractor personnel meet the required training and qualifications specified by the Training and Qualification group.
- [4] Ensure that documentation and verification of both ERM-specific training and Performance Based Training has been documented by the Training and Qualification group.

7. INSTRUCTIONS

7.1 Review of Form FO.23A

General procedures for the management of the drums containing soil and sediment IDM are contained in 4-F99-ENV-OPS-FO.23. Form FO.23A, Soil and Sediment IDM Form, contains information to be used in the implementation of this procedure. The data reported on Form FO.23A were obtained in accordance with 4-F99-ENV-OPS-FO.23.

NOTE Appendix 1 contains a flow chart outlining the processes described in this procedure.

ERM PM

- [1] Obtain the applicable Form FO.23A or equivalent information.
- [2] IF a completed Form FO.23A or equivalent information is NOT available, THEN:
 - [A] Exit this procedure.
 - [B] Go to 4-F99-ENV-OPS-FO.23.
- [3] IF a completed Form FO.23A is available,
 THEN review the information on process knowledge on Form FO.23A.
- NOTE 1 Form FO.29A (Appendix 2) is used for determining the disposition of soil and sediment IDM.
- NOTE 2 Appendix 7, Form FO.29E, Computer-generated Classification of IDM will be used before June 1, 1994 to replace Appendixes 2, 4, and 5 for the existing backlog of IDM drums. Form FO.29E is a computer-generated form that contains the essential information to classify the backlog of IDM drums. After June 1, 1994, Appendixes 2, 4, and 5 will be used to classify IDM drums.

ERM EE&T

[4] Ensure that Forms FO.29A, B, and C are used for all data except those for the backlog of drums containing IDM.

7.2 Review of Process Knowledge and Analytical Results

ERM PM

- [1] Record the following as required on Form FO.29A:
 - Rocky Flats Project
 - Date
 - ERM Project Manager
 - Soil Sample Location
 - Soil Depth Interval
- [2] Check () the appropriate box on Form FO.29A to show whether process knowledge indicates that the IDM being evaluated potentially contains constituents with the following characteristics in accordance with 6 CCR 1007-3 Sections 261.20 261.23:
 - Corrosive
 - Ignitable
 - Reactive

7.3 Adequacy Determination Form

Form FO.29D documents that enough appropriate and adequate analytical information to perform a waste characterization evaluation is associated with each drum of IDM. Analytical information is appropriate and adequate when each drum has at least one set of data from each analytical method listed on the form. However, analytical information may still be considered appropriate and adequate where discrepancies or missing information are explained and documented as to the relevance of each analytical method by the ERM PM. A reason must be provided for analyses that were not performed and that rationale must be documented on Form FO.29D. If the ERM PM has determined that additional analytical methods and information would not assist in performing a waste characterization evaluation, then that (those) analytical method(s) would not be required to have been completed in order for the analytical information to be considered appropriate and adequate.

ERM PM

[1] Obtain an Adequacy Determination Form (Form FO.29D) for each drum of IDM to be evaluated through the instructions specified in this procedure.

ERM PM (continued)

- [2] Record the following as required on Form FO.29D:
 - Drum number
 - Boring location
 - Individual Hazardous Substance Site (IHSS) location
 - Associated sample numbers
 - Analytical method names for each sample
- NOTE 1 Analytical samples used to classify soils and sediments are to be gathered in accordance with approved project-specific work plans.
- NOTE 2 Associated sample numbers and analytical method names for each drum of IDM can be obtained by querying the RFEDS database and specifically requesting this information.
- NOTE 3 When organic analytes in the database set are B-qualified (meaning that these analytes were detected in laboratory blanks), the data are usable but should be flagged. B-qualified data will be used in the risk assessment computations, and a comment will be added to either Form FO.29B, C, or E (whichever is appropriate) documenting that B-qualified data were used. If drums of IDM that had B-qualified data associated with them are determined to be above RCRA or CERCLA risk assessment criteria, the drum of IDM may require further evaluation to determine if the blank contamination (B-qualified data) inappropriately contributed to the determination of risk associated with the drum.
- [3] IF associated sample numbers and analytical method names for each sample are available from RFEDS,

THEN record on Form FO.29D whether the following analytical suites are available by checking [I the Yes or No column, as appropriate:

- VOAs
- BNAs [or semi-volatiles (SVOAs)]
- Pesticides/PCBs
- Metals
- Rads

ERM PM (continued)

- [4] IF the response in Step 7.3[3] is Yes for all of the analytical methods, THEN:
 - [A] Sign or initial and date Form FO.29D.
 - [B] Go to Step 7.3[8].
- [5] IF the response in Step 7.3[3] is No for any of the analytical methods, THEN:
 - [A] Provide an answer to the question, If no, why?, on Form FO.29D for each No response.
 - [B] Perform the evaluation stipulated in Step 7.3[6] or [7], as appropriate.

The answer to this question will vary widely. The ERM PM may need to refer to the approved project-specific work plan or to historical release reports to confirm that this particular type of contamination was not of concern in the area from which the drum of IDM was obtained.

[6] IF another analytical sample can be used to provide a more comprehensive waste characterization profile for the drum of IDM under evaluation,

THEN record a Yes by Can another sample be used to characterize this drum? on Form FO.29D.

Analytical samples associated with nearby boreholes may, in some instances, be used to provide a more comprehensive waste characterization profile for the drum of IDM under evaluation. Whether an association using the following hierarchy is appropriate will be left to the professional discretion and judgment of the ERM PM.

- NOTE 1 The following hierarchy has been developed to assist in determining which samples can be used to provide missing analytical information. Whether a sample was taken at a more shallow depth within the same location (borehole) that was sampled for the missing analytical information will need to be determined. If such a sample is not available, the next consideration should be given to the closest borehole within the same IHSS for a sample taken to the same depth as the samples in the drum. If that information is not available, a sample may be used from up to that depth from any borehole within the IHSS. The final step in the hierarchy is to use a sample from below the depth of the other samples in the same borehole.
- NOTE 2 Historical information regarding sampling plan rationale for various areas may be obtained from individuals knowledgeable about patterns of contamination at the RFP, sampling plans and sampling strategies for the particular area from which the drum of IDM was obtained, or from the approved project-specific work plans.

ERM PM (continued)

- [7] IF another analytical sample CANNOT be used to provide a more comprehensive waste characterization profile for the drum of IDM under evaluation,

 THEN record a No by Can another sample be used to characterize this drum? on Form FO.29D.
- [8] WHEN Form FO.29D is complete, THEN:
 - [A] Sign or initial and date Form FO.29D.
 - [B] Go to Step 7.3[9].
- [9] Record on Form FO.29A whether the analytical data are adequate for drum characterization by checking () the Yes or No box, as appropriate.
- [10] IF the analytical data are NOT adequate to characterize the drummed IDM, THEN:

ERM PM (continued)

- [A] Exit this procedure.
- [B] Review the approved project-specific work plan.

If the data are not adequate to characterize the drummed IDM, the ERM PM may decide to resample the drummed IDM. The ERM PM may request that a resample be taken of drummed IDM in accordance with 5-21000-OPS-FO.20, Rev. 0, Sampling Liquids and Solids from Environmental Materials Containers (when issued).

[11] IF the analytical data are adequate to characterize the drummed IDM,

THEN perform the data management steps as stipulated in Section 7.4, Data

Management.

7.4 <u>Data Management</u>

This section should be performed by a person with experience in data management. Data management can either be done on a drum-by-drum basis or for a larger data set.

ERM PM

[1] Do NOT use this procedure until all analytical information is available for a drum.

ERM PM (continued)

[2] WHEN the associated sample numbers are available for each drum, THEN request the analytical results from RFEDS.

The information required to complete the data management steps are:

- Location (that is, borehole number).
- Sample number.
- Sample type [such as sediment (SD) or borehole (BH)].
- Sample OA/OC code [such as REAL, duplicate (DUP), or rinsates (RNS)].
- Sample QC partner.
- Sample date.
- Test group code (that is, method name).
- Result type [such as target (TRG or TR_n), dilution (DIL or DL_n), replicate (REP or RP_n), or re-extraction (REX or RX_n, where n=1,2,3...)].
- Chemical.
- Parameter code.
- Lab QA code.
- Result.
- Unit measure.
- Error.
- Qualifier.
- Detect limit.
- Validation.
- Matrix.
- Secondary result type.

ERM Sample Management - RFEDS

- [3] Do NOT provide to the ERM PM the following information or analytical results on either the RFEDS hardcopy or electronic copy, as appropriate:
 - Tentatively identified organic compounds (TICs)
 - Nutrient species from the metals data (calcium, iron, magnesium, potassium, and sodium)
 - Silicon (or silica)
 - All analytes with the test method of WQPL except cyanide, nitrate or nitrite/nitrate, pH, and ignitability
 - All rinsates (RNS), trip blanks (TB), and matrix spikes/matrix spike duplicates (MS/MSDs); however, record these sample numbers to prove that they were not overlooked in the evaluation.
 - All sample numbers belonging to the RNS, TBs, and MS/MSDs from the list of sample numbers associated with the drum.
- [4] IF both a validated and an unvalidated result are available for a sample or analyte pair,

THEN do NOT provide the unvalidated result to the ERM PM.

- [5] Determine if a sample has both a DIL (or DL_n) or REX (or RX_n) and TRG (or TR_n) (lab QA codes) result for any analyte.
 - [A] IF the DIL (or DL_n) is U-qualified (nondetect),

 THEN do NOT provide the TRG (or TR_n) (E-qualified) record for that analyte.
 - [B] IF one of the pair of results is E-qualified, THEN:
 - [a] Do NOT provide the E-qualified record for that analyte.
 - [b] Retain the other result.

ERM Sample Management - RFEDS (continued)

- [C] IF the TRG (or TR_n) result has no data qualifier, THEN:
 - [a] Retain the TRG (or TR_{u}) record for that analyte.
 - [b] Do NOT provide the DIL (or DL_n) or REX (or RX_n) for that analyte.
- [6] Ensure that the analytical units for the soil and sediment samples are consistent and conform to the following:
 - YOA, BNA, and PEST UG/KG
 - Metals MG/KG
 - Radionuclides (except tritium) pCi/g
 - Tritium pCi/L
 - Cyanide, Nitrate, and Nitrite/Nitrate UG/G (equivalent to MG/KG)

Any data reported in units per liter (except tritium) <u>cannot</u> be evaluated by the computer program used in this procedure. The RBCs, TCLP comparison, and background mean + 2SD comparison included herein <u>cannot</u> be used for liquids.

- [7] Determine if the QC partner (the REAL) is available for all DUPs.
 - [A] IF the REAL is available,AND both the REAL and DUP contain detected values,THEN:
 - [a] Average the DUP and REAL results for all of the detected compounds.
 - [b] Replace the REAL result with the average.
 - [c] Delete the original DUP record result.
 - [B] IF both the REAL and DUP results are U-qualified,
 THEN retain the sample concentration with the smaller number in the result column.

ERM Sample Management - RFEDS (continued)

- [C] IF either the REAL or DUP has a detected value and the other is U-qualified, THEN:
 - [a] Retain the detected value.
 - [b] Delete the U-qualified record.
- [8] Convert all results, units, and detection limits to MG/KG for nonradionuclides.
 - [A] IF the laboratory reported the result in UG/KG,

 THEN convert the units to MG/KG, and divide the numbers in the result and detection limit columns by 1000.

Results for cyanide, nitrate, nitrate/nitrite are given in units of UG/G. Because UG/G is equivalent to MG/KG, only the unit's designation needs to be changed; the values in the result and detection limit columns remain unchanged.

ERM PM

- [9] WHEN the data management has been completed, THEN review the results.
- [10] IF all analytical results for a particular constituent are U-qualified, THEN do NOT evaluate this analyte any further.
- [11] IF both detected and U-qualified analytical or all detected results exist for a particular constituent,

THEN:

- [A] Record the name of the analyte on Form FO.29A, Column 1.
- [B] Record all analytical results for that constituent on Form FO.29A, Column 2.

7.5 Comparison of Reported Detection Limits

ERM PM

- [1] IF all constituents analyzed are U-qualified, THEN:
 - [A] Check [I the All analytes U-qualified (nondetect) box on Form FO.29A.
 - [B] Sign or initial Form FO.29A.
 - [C] Go to Section 7.12.
- [2] IF any constituent present in the soil and sediment IDM is NOT U-qualified, THEN go to Section 7.6, Calculating Average Concentrations.

7.6 Calculating Average Concentrations

ERM PM

[1] IF there is more than one analytical result for a particular analyte for an individual drum,

THEN calculate an average concentration.

The average concentration of detected constituents is calculated by replacing each U-qualified result with the detection limit divided by 2 and then using this value when the arithmetic mean is calculated on an analyte-by-analyte basis.

[2] IF the analytical results for a particular constituent in an individual drum are all U-qualified,

THEN do NOT evaluate the analyte any further.

- [3] Enter the arithmetic mean concentration on Form FO.29A, Column 3, as appropriate.
- [4] IF metal constituents are reported as being present in the IDM, THEN go to Section 7.7, Metals Comparison.
- [5] IF metal constituents are NOT reported as being present in the IDM, THEN go to Section 7.8, TCLP Comparison.

7.7 Metals Comparison

ERM PM

- [1] Compare the arithmetic mean value for each metal (obtained in the following steps) to the background mean + 2SD for that metal by using the mean + 2SD for geologic materials from the upper hydrostratigraphic unit [UHSU].
 - Table 1, Summary Statistics for UHSU Metals in Geologic Materials, presents the background mean + 2SD for geologic materials from the UHSU to be used in implementing this procedure.
- [2] Record the background mean + 2SD value obtained for metals on Form FO.29A, Column 4.
- [3] IF the average concentration of the metal is above the background mean + 2SD, OR if no background mean + 2SD exists for that particular metal, THEN record Yes on Form FO.29A, Column 5.
- [4] IF the average concentration of the metal is NOT above the background mean + 2SD,
 - THEN record No on Form FO.29A, Column 5.
- [5] Remove from further evaluation any metal below the value of the background mean + 2SD.
- [6] IF metals are the only constituents in the soil and sediment IDM, AND each metal is below the respective background mean + 2SD, THEN:
 - [A] Check [✓] the No Metals above background mean + 2SD and no organic compounds above reporting limits (uncontaminated material) box on Form FO.29A.
 - [B] Sign or initial Form FO.29A.
 - [C] Go to Section 7.12.

Table 1. Summary Statistics for Metals in UHSU Geologic Materials.

ANALYTE	GEOLOGIC UNIT	SAMPLE SIZE, N	NON- DETECT	DETECT	PERCENT DETECTS	MEAN	STANDARD DEVIATION	MEAN + 2SD	UNITS
ALUMINUM	UHSU	98	1	97	98.98	12674	11372	35418	MG/KG
ANTIMONY	บหรบ	66	56	11	16.67	6.28	1.89	10.06	MG/KG
ARSENIC	UHSU	99	29	70	70.71	3.5	4.42	12.34	MG/KG
BARIUM	UHSU	99	11	88	88.89	96.2	96.5	289.2	MG/KG
BERYLLIUM	UHSU	99	18	81	81.82	4.59	4.82	14.23	MG/KG
CADMIUM	บหรบ	81	75	6	7.41	0.6	0.24	1.08	MG/KG
CALCIUM	UHSU	99	1	98	98.99	7053	16179	39411	MG/KG
CESIUM	UHSU	95	94	1	1.05	102.6	32.7	168	MG/KG
CHROMIUM	UHSU	99	15	84	84.85	18	25	68	MG/KG
COBALT	UHSU	99	77	22	22.22	6.86	5.33	17.52	MG/KG
COPPER	UHSU	99	5	94	94.95	12.55	12.8	38.15	MG/KG
IRON	UHSU	99	0	99	100.00	14532	13257	41046	MG/KG
LEAD	UHSU	99	1	98	98.99	10.83	7.09	25.01	MG/KG
LITHIUM	บหรบ	99	38	61	61.62	9.75	8.38	26.51	MG/KG
MAGNESIUM	UHSU	99	4	95	95.96	2875	3232	9339	MG/KG
MANGANESE	UHSU	99	٥	99	100.00	218	342	902	MG/KG
MERCURY	บหรบ	86	64	22	25.58	0.167	0.147	0.461	MG/KG
MOLYBDENUM	UHSU	99	49	50	50.51	15.39	9.01	33.41	MG/KG
NICKEL	บหรบ	96	14	82	85.42	19.14	20.86	60.86	MG/KG
POTASSIUM	UHSU	98	. 47	51	52.04	1545	1882	5309	MG/KG
SELENIUM	บหรบ	82	80	2	2.44	0.996	1.253	3.502	MG/KG
SILVER	UHSU	83	50	33	39.76	5.66	9.41	24.48	MG/KG
SODIUM	UHSU	99	82	17	17.17	849	399	1647	MG/KG
STRONTIUM	UHSU	99	63	36	36.36	43,4	42.1	127.6	MG/KG
THALLIUM	UHSU	75	72	3	4.00	1.22	1.17	3.5 6	MG/KG
TIN	UHSU	92	67	25	27.17	67	110	287	MG/KG
VANADIUM	UHSU	99	2	97	97.98	31.5	28.5	88.5	MG/KG
ZINC	UHSU	98	7	91	92.86	35.9	51.6	139.1	MG/KG

7.7 Metals Comparison (continued)

ERM PM (continued)

[7] IF other constituents are present,OR metals exceed the background mean + 2SD,THEN go to Section 7.8.

7.8 TCLP Comparison

NOTE If actual TCLP analysis was performed on any samples in a drum, then a straight TCLP comparison should be performed rather than using the approximation method described in Steps 7.8[3] through 7.8[5].

ERM PM

[1] IF any metal or any organic constituents has a Yes recorded on Form FO.29A, Column 5,

THEN determine if a TCLP regulatory level is available in Appendix 6, Table 6-1, TCLP Constituents of Concern Maximum Contaminant Levels.

- [2] IF a TCLP regulatory level is available,
 THEN record the TCLP regulatory level for the constituent on Form FO.29A,
 Column 6.
- [3] Multiply the TCLP regulatory level by the AF (20) and record the value on Form FO.29, Column 7.
- [4] IF the AF-adjusted TCLP level on Form FO.29A, Column 7, is less than the constituent concentration in Column 3,

 THEN record Yes in Column 8 for that constituent.
- [5] IF the AF-adjusted TCLP level on Form FO.29A, Column 7, is greater than the constituent concentration in Column 3,

 THEN record No in Column 8.
- [6] IF at least one Yes was recorded on FO.29A, Column 8, THEN:
 - [A] Check [✓] the TCLP Regulatory Level Exceeded (RCRA hazardous waste) box on Form FO.29A.

7.8 TCLP Comparison (continued)

ERM PM (continued)

- [B] Go to Section 7.9, IDM RCRA Constituents of Concern.
- [7] IF only *Nos* were recorded on Form FO.29A, Column 8, THEN:
 - [A] Check [✓] the TCLP Regulatory Level Not Exceeded (perform RCRA risk analysis) box on FO.29A.
 - [B] Sign or initial Form FO.29A.
 - [C] Go to Section 7.9, IDM RCRA Constituents of Concern.

7.9 IDM RCRA Constituents of Concern

ERM PM

[1] Evaluate if any constituent listed on Form FO.29A, Column 1, is an IDM RCRA Constituent of Concern.

The IDM RCRA Constituents of Concern are identified in Appendix 3.

- [2] IF a constituent(s) listed on Form F).29A, Column 1, is identified as a IDM RCRA Constituent of Concern in Appendix 3,

 THEN record Yes on Form FO.29A, Column 9, indicating that the constituent(s) is an IDM RCRA Constituent of Concern.
- [3] IF a constituent(s) listed on Form FO.29A, Column 1, is NOT identified as an IDM RCRA Constituent of Concern in Appendix 3,

 THEN compare the constituent(s) with Appendix VIII to 6 CCR 1007-3 Part 261 to determine if the constituent(s) is a RCRA waste.
- [4] IF the constituent(s) listed on Form FO.29A, Column 1, that is NOT identified as an IDM RCRA Constituent of Concern in Appendix 3 but is listed as a RCRA waste in Appendix VIII to 6 CCR 1007-3 Part 261,
 THEN record Yes on Form FO.29A, Column 9, indicating that the constituent(s) is an IDM RCRA Constituent of Concern.

7.9 IDM RCRA Constituents of Concern (continued)

ERM PM (continued)

- [5] IF the constituent(s) listed on Form FO.29A, Column 1, is NOT identified as an IDM RCRA Constituent of Concern in Appendix 3,

 AND is NOT listed as a RCRA waste in Appendix VIII to 6 CCR 1007-3 Part 261,

 THEN record No on Form FO.29A, Column 9, indicating that the constituent(s) is not an IDM RCRA Constituent of Concern.
- [6] IF no IDM RCRA Constituents of Concern are present, THEN:
 - [A] Sign or initial Form FO.29A.
 - [B] Forward Form FO.29A to ERM Risk Management for performance of an inclusive risk analysis in accordance with Section 7.11, Performing Inclusive Risk Analysis (Form FO.29C).
- [7] IF IDM RCRA Constituents of Concern are present, THEN:
 - [A] Check [✓] the IDM RCRA Constituents of Concern Present (perform RCRA risk analysis) box on Form FO.29A.
 - [B] Sign or initial Form FO.29A.
 - [C] Forward Form FO.29A to ERM Risk Management to perform a RCRA risk analysis in accordance with Section 7.10, Performing RCRA Risk Analysis (Form FO.29B).

If a constituent is not identified as an IDM RCRA Constituent of Concern in Appendix 3 but is a RCRA waste in Appendix VIII to 6 CCR 1007-3 Part 261, then ERM Risk Management will include this constituent in the RCRA risk analysis and will calculate risk-based soil concentrations by using up-to-date toxicity information, as appropriate.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 29 OF 70

7.10 Performing RCRA Risk Analysis (Form FO.29B)

NOTE A RCRA risk analysis is performed for all IDM RCRA Constituents of Concern and all identified RCRA wastes. The results are recorded on Form FO.29B in accordance with Appendix 5, Form FO.29B, RCRA Risk Analysis. A description of the calculation of RBCs is provided in Appendix 8, Risk-Analysis Method.

ERM Risk Management Personnel

- [1] Compare the analytical results for IDM RCRA Constituents of Concern listed on Form FO.29A with the RBCs for soil listed in Appendix 6, Table 6-2, IDM RCRA Constituents of Concern Carcinogens and Noncarcinogens Risk-based Concentrations for Soil, following the procedure described in this section.
- [2] Record the following information on Form FO.29B:
 - Rocky Flats Project
 - Date
 - ERM Project Manager
 - Soil Sample Location
 - Soil Depth Interval (if available)
- NOTE Organic compounds and metals that are IDM RCRA Constituents of Concern are identified on Form FO.29A, along with the associated individual and average concentrations.
- [3] Transfer the analyte names and concentrations from Form FO.29A, Columns 1 and 2, to Form FO.29B, Columns 1 and 2.
- [4] Identify the carcinogenic and noncarcinogenic RBCs for each IDM RCRA Constituent of Concern in Appendix 6, Table 6-2.
 - [A] Record the carcinogenic and noncarcinogenic RBCs on Form FO.29B, Columns 3 and 5, respectively.
 - [B] IF no RBC is available for a particular constituent, THEN record NA on Form FO.29B, Columns 3 or 5, as appropriate.

7.10 Performing RCRA Risk Analysis (Form FO.29B) (continued)

ERM Risk Management Personnel (continued)

- [5] Calculate the carcinogenic and noncarcinogenic RBCs for each identified RCRA waste that is NOT identified as an IDM RCRA Constituent of Concern.
 - [A] Record the carcinogenic and noncarcinogenic RBCs on Form FO.29B, Columns 3 and 5, respectively.
 - [B] IF no RBC is available for a particular constituent, THEN record NA on Form FO.29B, Column 3 or 5, as appropriate.
- [6] IF an organic compound or metal has values recorded on Form FO.29B, Columns 2 and 3,

THEN:

- [A] Divide Column 2 by Column 3 for each constituent on Form FO.29B.
- [B] Record the decimal fraction (ratio) on Form FO.29B, Column 4, for each constituent.
- [C] Sum all of the ratios on Form FO.29B, Column 4, and record the sum in the *TOTAL* block at the bottom of the column.
- [D] IF multiple pages for Form FO.29B are required, THEN use the GRAND TOTAL block to sum the TOTAL blocks for the analysis.
- [7] IF an organic compound or metal has a value recorded on Form FO.29B, Columns 2 and 5,

THEN:

- [A] Divide Column 2 by Column 5 for each constituent on Form FO.29B.
- [B] Record the decimal fraction (ratio) on Form FO.29B, Column 6, for each constituent.
- [C] Sum all of the ratios on Form FO.29B, Column 6, and record the sum in the *TOTAL* block at the bottom of the column.

7.10 Performing RCRA Risk Analysis (Form FO.29B) (continued)

ERM Risk Management Personnel (continued)

- [D] IF multiple pages for Form FO.29B are required,
 THEN use the GRAND TOTAL block to sum the TOTAL blocks for the analysis.
- [8] IF the TOTALS (or GRAND TOTALS) on Form FO.29B for both Columns 4 and 6 are equal to or less than 1,

THEN:

- [A] Check () the Total carcinogenic and noncarcinogenic ratios are both equal to or less than 1 box.
- [B] Sign or initial Form FO.29B.
- [C] Forward Form FO.29B to the ERM PM for approval.

ERM PM

- [D] Review the answers provided on Form FO.29A for Step 7.2[2] and Steps 7.8[4] through 7.8[6].
- [E] IF at least one YES is recorded in response to the questions or evaluations performed in either Step 7.2[2] or Steps 7.8[4] through 7.8[6], THEN:
 - [a] Review and sign or initial Form FO.29B.
 - [b] Go to Section 7.12.

7.10 Performing RCRA Risk Analysis (Form FO.29B) (continued)

ERM PM (continued)

- [F] IF all NOs were recorded in response to the questions or evaluations performed in either Step 7.2[2] or Steps 7.8[4] through 7.8[6], THEN:
 - [a] Review and sign or initial Form FO.29B.

Any concerns or problems with Form FO.29B can be addressed with the ERM Risk Management Analyst responsible for that particular risk analysis before the form is approved.

[b] Forward the approved Form FO.29B to the responsible ERM Risk Management Analyst.

ERM Risk Management Personnel

- [G] Perform an inclusive risk analysis on the drum of IDM in accordance with Section 7.11.
- [9] IF the TOTAL (or GRAND TOTAL, whichever is greater) on Form FO.29B for either Column 4 or 6 is greater than 1,

 THEN:
 - [A] Check () the Total carcinogenic or noncarcinogenic ratio is greater than 1 box.
 - [B] Sign or initial Form FO.29B.
 - [C] Forward Form FO.29B to the ERM PM for approval.

ERM PM

[D] Review and sign or initial Form FO.29B.

Any concerns or problems with Form FO.29B can be addressed with the ERM Risk Management Analyst responsible for that particular risk analysis before the form is approved.

[E] Go to Section 7.12.

7.11 Performing Inclusive Risk Analysis (Form FO.29C)

- NOTE 1 An inclusive risk analysis is performed when either:
 - No IDM RCRA Constituents of Concern are present as determined in Section 7.9, or
 - Both the total carcinogenic and noncarcinogenic ratios for IDM RCRA Constituents of Concern are equal to or less than 1 as determined in Section 7.10, or the TCLP Regulatory Levels are not exceeded as determined in Section 7.8.
- NOTE 2 Results of the inclusive risk analysis are recorded on Form FO.29C in accordance with Appendix 5, Inclusive Risk Analysis. A description of the calculation of RBCs is provided in Appendix 8.

ERM Risk Management Personnel

- [1] Compare the analytical results for IDM Constituents of Concern on Form FO.29A, Columns 1 and 2, with the RBCs for soil listed in Appendix 6, Table 6-3, IDM Constituents of Concern Carcinogenic and Noncarcinogenic Risk-based Concentrations for Soil, in accordance with this section.
- [2] Record the following on Form FO.29C:
 - Rocky Flats Project
 - Date
 - ERM Project Manager
 - Soil Sample Location
 - Soil Depth Interval (if available)
- [3] Transfer the analyte names and concentrations from Form FO.29A, Columns 1 and 2, to Form FO.29C, Columns 1 and 2.
- [4] Identify the carcinogenic and noncarcinogenic RBCs for each organic compound and metal on Form FO.29C in Appendix 6, Table 6-3.
 - [A] Record the carcinogenic and noncarcinogenic RBCs on Form FO.29C, Columns 3 and 5, respectively.

7.11 Performing Inclusive Risk Analysis (Form FO.29C) (continued)

In those cases in which a constituent cannot be located on <u>either</u> the IDM RCRA Constituent of Concern List or the IDM Constituent of Concern List (both in Appendix 6), ERM Risk Management personnel will evaluate whether an RBC should be calculated for that constituent.

ERM Risk Management Personnel (continued)

- [B] IF no RBC is available for a particular constituent, THEN record NA on Form FO.29C, Columns 3 or 5, as appropriate.
- [5] IF an organic compound or metal has values recorded on Form FO.29C, Columns 2 and 3,

THEN:

- [A] Divide Column 2 by Column 3 for each constituent on Form FO.29C.
- [B] Record the decimal fraction (ratio) on Form FO.29C, Column 4, for each constituent.
- [C] Sum all of the ratios on Form FO.29C, Column 4, and record the sum in the *TOTAL* block at the bottom of the column.
- [D] IF multiple pages for Form FO.29C are required,
 THEN use the GRAND TOTAL block to sum the TOTAL blocks for the analysis.
- [6] IF an organic compound or metal has values recorded on Form FO.29C, Columns 2 and 5,

THEN:

- [A] Divide Column 2 by Column 5 for each constituent on Form FO.29C.
- [B] Record the decimal fraction (ratio) on Form FO.29C, Column 6, for each constituent.
- [C] Sum all of the ratios on Form FO.29C, Column 6, and record the sum in the TOTAL block at the bottom of the column.

7.11 Performing Inclusive Risk Analysis (Form FO.29C) (continued)

ERM Risk Management Personnel (continued)

- [D] IF multiple pages for Form FO.29C are required,

 THEN use the GRAND TOTAL block to sum the TOTAL blocks for the analysis.
- [7] IF the TOTALS (or GRAND TOTALS) on Form FO.29C for both Columns 4 and 6, are less than or equal to 1,

THEN:

- [A] Check () the Total carcinogenic and noncarcinogenic ratios are both less than or equal to 1 box.
- [B] Sign or initial Form FO.29C.
- [C] Forward Form FO.29C to the ERM PM for approval.

ERM PM

[D] Review and sign or initial Form FO.29C.

Any concerns or problems with Form FO.29C can be addressed with the ERM Risk Management Analyst responsible for that particular risk analysis before the form is approved.

[E] Go to Section 7.12.

ERM Risk Management Personnel

[8] IF the TOTAL (or GRAND TOTAL) blocks on Form FO.29C for either Columns 4 or 6, is greater than 1,

THEN:

- [A] Check (✓) the Total carcinogenic or noncarcinogenic ratio is greater than 1 box.
- [B] Sign or initial Form FO.29C.
- [C] Forward Form FO.29C to the ERM PM for approval.

7.11 Performing Inclusive Risk Analysis (Form FO.29C) (continued)

ERM PM

- [D] Review and sign or initial Form FO.29C.
 Any concerns or problems with Form FO.29C can be addressed with the ERM Risk Management Analyst responsible for that particular risk analysis before the form is approved.
- [E] Go to Section 7.12.

7.12 Managing IDM

NOTE An independent radiological evaluation is still required but will be addressed at a later date.

ERM EOM

- [1] **IF** all of the following conditions exist:
 - Form FO.29A, Column 5, is No for all metals,
 - Both the *TOTAL* (or *GRAND TOTAL*) block on Form FO.29B, Columns 4 and 6, or on Form FO.29C, Columns 4 and 6, are both less than or equal to 1,
 - The block is checked on Form FO.29A that states TCLP regulatory level not exceeded (perform RCRA risk analysis),
 - The block is checked on Form FO.29A that states Corrosive, ignitable, or reactive (RCRA hazardous waste),

THEN:

THEN:

- [A] Transfer the drummed IDM out of the RCRA 90-day storage area.
- [B] Manage the IDM in accordance with 4-F99-ENV-OPS-FO.23.

ERM PM

[2] IF Yes is recorded on Form FO.29A, Column 8, for any analyte, OR the TOTAL (or GRAND TOTAL) blocks on Form FO.29B, in either Columns 4 or 6, are greater than 1,

7.12 Managing IDM (continued)

ERM PM (continued)

[A] Assign a waste code in accordance with the Hazardous Waste Requirements Manual (Manual 1-10000-HWR), Section 3.0, Waste Identification and Analysis.

94-DM2-001226

- [B] If waste is not contained, place it in containers in accordance with SOP FO.8, Handling of Drilling Fluids and Cuttings, and SOP FO.10, Receiving, Labelling, and Handling Environmental Material Containers.
- Complete labels for drums in accordance with the Waste Requirements Manual (Manual 1-1000-WRM) Procedure for Non-radioactive Waste Packaging (WP-1027).
- Complete travelers for drums in accordance with the Waste Requirements Procedures Manual (Manual 5-2300-WRP) Procedure on Waste/Residue Traveler Instructions (WO-1102).

ERM EOM

Transfer the drums containing RCRA waste to Waste Operations for proper storage in permitted or interim-status facilities in accordance with 4-F99-ENV-OPS-FO.23.

ERM PM

[3] IF the TOTAL (or GRAND TOTAL) blocks on Form FO.29C, in either Columns 4 or 6, are greater than 1,

94-DMR-001226

THEN:

- [A] If waste is not contained, place it in containers in accordance with SOP FO.8, Handling of Drilling Fluids and Cuttings, and SOP FO.10, Receiving, Labelling, and Handling Environmental Material Containers.
- Complete a label for the drum, identifying the IDM as containing CERCLA hazardous substances greater than 1X10⁻⁶ with the disposition pending the ROD.

ERM EOM

Transfer the drums containing waste out of the 90-day storage area to an area to be determined for interim storage as non-RCRA waste.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 37A OF 70

The disposition of the non-RCRA IDM in interim storage will be determined by parties to the Interagency Agreement (IAG) and the public as part of the ROD for the area in which the IDM were generated.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 38 OF 70

8. RECORDS

Management of all records is consistent with 1-77000-RM-001, Records Management Guidance for Records Sources.

The records generated as a result of this procedure are considered quality records and are managed in accordance with 2-G18-ER-ADM-17.01. The records generated as a result of this procedure are also considered potential Administrative Records and are managed in accordance with 3-21000-ADM-17.02, Administrative Records Screening and Processing, in addition to 2-G18-ER-ADM-17.01.

There are no nonquality records generated by this procedure.

ERM PM

- [1] Ensure that the original and one copy of the following quality-related records, as appropriate, are transmitted to the ERM PFC in accordance with 2-G18-ER-ADM-17.01:
 - Form FO.29A
 - Form FO.29B
 - Form FO.29C
 - Form FO.29D
 - Form FO.29E

Submission of record copies to the ERM PFC will satisfy Administrative Record requirements.

- [2] Ensure that one copy of the following quality-related records, as appropriate, is retained for the project file:
 - Form FO.29A
 - Form FO.29B
 - Form FO.29C
 - Form FO.29D
 - Form FO.29E

8. RECORDS (continued)

ERM PM (continued)

- [3] Ensure that one copy of the following quality-related records, as appropriate, is transmitted to ERM EOM:
 - Form FO.29A
 - Form FO.29B
 - Form FO.29C
 - Form FO.29D
 - Form FO.29E

9. REFERENCES

CDH Interim Final Policy and Guidance on Risk Assessments for Corrective Action at RCRA Facilities, 11/93

Clement Associates, Comparative Potency Approach for Estimating the Cancer Risk Associated with Exposure to Mixtures of Polycyclic Aromatic Hydrocarbons, 1988

DOE, Background Geochemical Characterization Report, 09/93

DOE/CH/8901, A Manual for Implementing Residual Radioactive Material Guidelines, Argonne National Laboratory, 06/89

EPA, Health Effects Assessment Summary Tables (HEAST), 1993 (or current edition)

EPA, Human Health Evaluation Manual, Supplemental Guidance, Standard Default Exposure Factors, OSWER Directive 9285.6-03, 1991

EPA, Integrated Risk Information System (IRIS), 1994

EPA, New Interim Region IV Guidance (on Risk Assessment), 02/92

EPA, Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons, EPA/600/R-93/089, 07/93


EPA, Risk Assessment Guidance for Superfund, Volume 1, Human Health Evaluation Manual, 1989

9. REFERENCES (continued)


- 1-10000-HWR, Hazardous Waste Requirements Manual, Section 3.0, Waste Identification and Analysis
- 1-10000-WRM. Waste Requirements Manual, WP-1027, Non-radioactive Waste Packaging
- 1-77000-RM-001, Records Management Guidance for Records Source
- 2-G18-ER-ADM-17.01, Quality Assurance Records Management (Until issued, use 3-21000-ADM-17.01, Quality Assurance Records Management)
- 3-21000-ADM-17.02, Administrative Records Screening and Processing
- 4-F99-ENV-OPS-FO.23, Management of Soil and Sediment Investigation-derived Materials
- 5-23000-WRP, Waste Requirements Procedures Manual, WO-1102, Waste/Residue Traveler Instructions
- 5-21000-OPS-FO.20, Sampling Liquids and Solids from Environmental Materials Containers (when issued)
- 6 CCR 1007-3 Part 261, Identification and Listing of Hazardous Waste, 06/93

Page 1 of 2

IDM EVALUATION FLOW CHART



Page 2 of 2



U.S. DEPARTMENT OF ENERGY ROCKY FLATS PLANT IDM RCRA CONSTITUENT OF CONCERN AN

U.S. DEPARTMENT (FLATS PLANT RA CONSTITU	IENT OF CON	CERN AND T	CLP DETE	RMINATIO	N :	FORM FO.29A Page of
Rocky Flats Project: Date:				iple Location: oth Interval:				
ERM Project Manager: Does the process knowle Are the analytical data a	dge indicate that the ID	•		•], ignitable []	, or reactive []	characteristics? (C	heck (/) one)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Analyte - Name	Concentration or Activity	Average or Maximum	Mean + 2SD (metals)	Analyte above Mean + 2SD	TCLP Regulatory	TCLP Level X AF	Constituent Concentration	IDM RCRA Constituents of

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Analyte - Name	Concentration or Activity (mg/kg or pCi/g)	Average or Maximum Concentration (as applicable, mg/kg or pCi/g)	Mean + 2SD (metals) (mg/kg)	Analyte above Mean + 2SD (Yes/No)	TCLP Regulatory Level (mg/L)	TCLP Level X AF (mg/kg)	Constituent Concentration Exceeds TCLP Level X AF? (Yes/No)	IDM RCRA Constituents of Concert? (Yes/No)
			5AN	PL	E			

() ()	All analytes U-qua	•		•	•			
0	TCLP regulatory I TCLP regulatory I IDM RCRA Const	ackground mean + 1 evel exceeded (RCR, evel not exceeded (p tituents of Concern p	A hazardous waste; erform RCRA risk : resent (perform RC	perform RCRA risl unalysis) RA risk unalysis)	k analysis)	incontaminated	material)	
□ ERM P	Non-RCRA IDM (Constituents of Conc	em present (perforn	i inclusive risk anal	lysis)	Date;		
Comme	nts:							

The analytical information described on this form is based on information from potentially unvalidated data from RFEDS. This form has been completed in accordance with 4-1140-ENV-OPS-FO.29. A subcontractor was used in support of completing this form and the work has not been independently verified by the PM. Based on the above. this form is accurate to the best of the PM's knowledge and belief.

APPENDIX 2

Page 1 of 2

FORM FO.29A, IDM RCRA CONSTITUENT OF CONCERN

AND

TCLP

DETERMINATION

AND FORM FO.29D, ADEQUACY DETERMINATION

APPENDIX 2
Page 2 of 2

DISPOSITION OF SOIL AND SEDIMENT IDM ADEQUACY DETERMINATION FORM

DRUM NO BORING L MSS LOC	COCATIO)и					
	Associated ample No		Analytical Method Name	Associated Sample Nos.	Analytical Method Name		
						, 	
la the follo	wing ana	lytical info	ornation available for this drum?				
VOA# .	Υ_	м_	•	characterize this drum?			
SVOAs	Υ _	и_		characterize this drum?			
Pesi/ PCBs	Υ _	н_	If no, why? Can another sample be used to If yes, sample no, and rational	characterize this dium?	SAMI		
Metals	Y _	и_		characterize this drum?			
Kads	Υ _	и_		characterize this drum?			
Additions	l Comme	nts					

ERM Project Manager

The snalytical information described on this form is based on information from potentially unvalidated data from RFEDs. The criteria used to make the determination of whether the data consist of appropriate and adequate analytical information to perform a waste characterization evaluation is established in 4-1146-ENV-OPS-FO.29. A subcontractor was used in support of completing this form and their work has not been independently verified by the PM. Based on the above, this form is accurate to the PM's knowledge and belief.

Page 1 of 6

IDM RCRA CONSTITUENTS OF CONCERN

		1	1
Common Name	Chemical Abstracts Name	Other Synonyms	CAS No
Acetone	2-Рторалопе		67-64-1
Acetonitrile	Same		75-05-8
Acetophenone	Ethanone, 1-phenyl-		98-36-2
2-Acerylaminefluorone	Acetamide, N-9H-fluoren-2-yl-		53-96-3
Acrolein	2-Propenal		107-02-3
Acrylonitrile	2-Propenentrile		107-13-1
Aldrin	1.4.5.8-Dimethanonaphthalene, 1.2.3.4.10.10		309-00-2
	10-hexachloro-1,4,4a,5,8,8a-hexahydro-,		
	(1alpha,4alpha,4abeta,5alpha,8alpha,8abeta)-		
Allvi chloride	1-Propane, 3-chloro	3-Chloropropene	107-18-6
	[1,1'-Biphenvi]-4-amine		92-67-1
Aniline	Benzenamine		62-53-3
Antiniony	Same		7440-36-0
Aranite	Sulfurous acid, 2-chloroethyl 2-[4-(1.1-		140-57-8
	dimethylethyl)phenoxy - l-methylethyl ester		
Arsenic	Same		7440-38-2
Barium	Same		7440-39-3
Benzojajanthracene	Same		56-55-3
Benzene	Same		71-43-2
Benzidine	[1,1'-Biphenvil-4,4\]-diamine		92-87-5
Benzolbifluoranthene	Benzfelacephenanthrylene		205-99-2
Benzolk lfluoranthene	Same		207-08-9
Benzo(alpyrene	Same		50-32-8
Beryllium	Same		7440-41-7
Bromodichlo romethane	J. Carlo	- 	75-27-4
Bromoform	Methane, tribromo-		75-25-2
-Bromophenyl phenyl ether	Benzene, 1-bromo-1-phenoxy-	p-Bromodiphenyl ether	101-55-3
Buryi benzyi phthalare	1.2-Benzenedicarboxytic acid, butyl	p otomospious, realist	35-68-7
butyt ochbyt phurada.	phenylmethyl ester		
Cadmium	Same		7440-43-9
Carbon disulfide	Same		75-15-0
Carbon tetrachloride	Methane, tetrachloro-		56-23-5
Chlordane	4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8-		57-74-9
	octachloro-23,3a,4,7,7a-hexahydro-	Į.	
Thlordane (alpha and gamma isomers)		Alpha-Chlordane	5103-71-9
		Gamma-Chlordane	5103-74-2
-Chloroaniline	Benzenamine, 4-chloro-	4-Chlomaniline	106-47-3
Chlorobenzene	Benzene, chloro-		108-90-7
Chlorobenzilate	Benzeneacetic acid,		510-15-6
	4-chloro-alpha-(4-chlorophenyl)-	·	
-Chloro-m-cresol	Phenol, 4-chloro-3-methyl-	4-Chloro-3-methylphenol	59-50-7
2-Chloroethyl vinyl ether	Ethene, (2-chloroethoxy)-		110(-7)5-3
Thloroethane			75-00-3
Thloroform	Methane, trichloro-		67-66-3
eta-Chloronaohthaiene	Naphthalene, 2-chloro-	2-Chloronaohthalene	91-58-7
-Chlorophenol	Phenoi. 2-chloro-	2-Chlorophenai	95-57-3
Nioroprene	1,3-Butadiene, 2-chloro-	2-Chloro-13-Butadiene	126-99-8
Thornium	Same	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	7440-47.3
Chromann (HD)			16065-83-1

Page 2 of 6

Common Name	Chemical Abstracts Name	Other Synonyms	CAS No.
Chromium (VI)	Citetical Adduct Natio	, Salet Byttodynis	18540-29-9
Cluvsene	Same		218-01-9
m-Cresol	Phenol. 3-methyl	3-Methylphenoi	108-39-4
o-Cresol	Phenol, 2-methyl	2-Methylphenol	95-48-7
p-Cresol	Phenol. +methyl	4-Methylphenol	106-14-5
Cvanide			57-12-5
2,4-D	Acetic acid, (2,4-dichlorophenoxy)-	2,4-Dichlorophenoxy-	94-75-7
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	acetic acid, salts and esters	
DOD	Benzene, 1,1'-(2,2-dichloroethylidene)bis[4	4.4'-DDE	72-54-8
	chloro-	4.4'-DDD	
DDE	Benzene, 1.1'-(dichloroethenylidene)bis{4-	4.4'-DDE	72-55-9
008	chloro-	4.4'-DDE	1.2.2.
DOT	Benzene, 1,1'-(2,2,2-	4.4'DDT	50-29-3
001	trichloroethylidene)bis[4-chloro-	4.4'-DDT	
Diallate	Carbamothioic acid, bis(1-methylethyl)-, S-		2303-16-4
Dianate	(2,3-dichloro-2-propenyi) ester		
Dibenzola hlanthracene	Same		53-70-3
1.2. Dibromo-3-chioropropane	Propane, 1.2-dibromo-3-chloro-		96-12-8
Dibromochloromethane	Propage, Paradiomorphismo		124-18-1
Dibutyl phthalate	1.2-Benzenedicarboxylic acid, diburyl ester	Di-n-buryl phthalate	84-74-2
	Benzene, 1.2-dichloro-	1.2-Dichlorobenzene	95-50-1
o-Dichlorobenzene		L3-Dichlorobenzene	541-73-1
m-Dichlorobenzene	Benzene, 1.3-dichloro-	1.4 Dichlorobenzene	106-16-7
p-Dichlorobenzene	[1,1'-Biphenyt]-4,4'-diamine, 3,3'-dichloro	1,4-Dictionocetzene	91-94-1
3.3'-Dichlorobenzidine			764-41-0
1,4-Dichloro-2-butene	2-Butene, 1,4-dichloro-		110-57-6
trans-1,4-Dichloro-2-butene	176.1 2.11 2.5		75-71-8
Dichlorodifluoromethane	Methane, dichlorodifluoro-		75-35-4
1.1-Dichloroethene	Ethene, I.I-dichloro-		156-60-5
1.2-Dichloroethene	Ethene, 1.2-dichloro-		120-00-3
cis1.2-Dichloroethene			
trans-1.2-Dichloroethene		0: 2 -1	111-44-4
Dichloroethyl ether	Ethane, 1.1'oxybis(2-chloro-	Bis(2-chloroethyl) ether	108-60-1
Dichloroisopropyl ether	Propane, 2.2'-oxybis(2-chloro-	Bis(2-chloroisopropyl) ether	111-91-1
Dichloromethoxy ethane	Ethane, 1,1'-{methylenebis(oxy) bis{2-	Bis(2-chloroethoxy) methane	120-83-2
2.4 Dichlorophenol	Phenol, 2,4 dichloro-		87-65-0
2.6-Dichlorophenol	Phenol, 2.6-dichloro-		542-75-6
1.3-Dichloropropene	1-Propene, 1,3-dichloro-		
cis-1.3-Dichloropropene			10061-01-5
trans-1,3-Dichloropropene			10061-02-06
Dieldrin	2.7:3,6-Dimethanonaphth[2.3-b]oxirene.		60-57-1
	3,4,5,6,9,9-hexachloro-la,2,2a,3,6,6a,7,7a		
	octahydro-,		
	(laalpha_2beta_2aalpha_3beta,6beta,		
	6aalpha,7beta,7aalpha)-		1000
1.4-Diethyleneoxide	l.+Dioxane		123-91-1
Diethylhexyl phthalate	1.2-8enzenedicarboxylic acid, bisi2-	Bis(2-ethythexyl) phthalate	117-81-7
Diethyl phthalate	1.2-Benzenedicarboxytic acid, diethyt ester		84-66-2
o.o-Diethyl o-pyrazmyl phosphom-thio	Phosphorothioic acid, 0,0-diethyl 0-	Thionazzn	297-97-2
	pyrazinyl ester		

Page 3 of 6

			3,5,4
Common Name	Chemical Abstracts Name	Other Synonyms	60-51-5
Dimethoate	Phosphorodithioic acid, O,O-dimethyl S-{2-	1	W.>1-3
	(methylammo)-2-oxoethyl ester		60.11.7
-Dimethylaminoazobenzene	Benzenamine, N.N-Jimethyl-L(phenylazo)		60-11-7
7.12-Dimethylbenz(a)anthraœne	Benz(a)anthracene, 7,12-dimethyl-		57-97-6
3.3'-Dimethylbenzidine	[1.1'-Biphenyl]-4,4'-diamine, 3,3'-dimethyl	o-Tolidine	119-93-7
alpha, alpha-Dimethylphenethylamine	Benzeneethanamine, alpha, alpha-dimethyl-		122-09-8
2.4-Dimethylphenol	Phenol, 2,4-dimethyl-		105-67-9
Dimethyl phthalate	1.2-Benzenedicarboxylic acid, dimethyl		131-11-3
1.3-Dinitrobenzene	Benzene, dinitro-		25154-54-5
4.6-Dinitro-o-cresol ,	Phenol, 2-methyl-4,6-dinitro-	4.6-Dinitro-2-methylphenol	534-52-1
2.4-Dinitrophenol	Phenol. 2,4-dinitro-		51-28-5
2.4-Dinitrotoluene	Benzene, 1-methyl-2,4-dinitro-	1-Methyl-2, 4-dinitrobenzene	121-14-2
2.6-Dinitrotoluene	Benzene, 2-methyl-1,3-dinitro-		606-20-2
Dinoseb	Phenol, 2-(1-methylpropyl)-1.6-dinitro-		88-85-7
Di-n-octyl phthalate	1.2-Benzenedicarboxylic acid, diocryl ester		117-34-0
Diphenylamine	Benzenamine, N-phenyl-		122-39-4
Disulfoton	Phosphorodithioic acid, O,O-diethyi S-[2-		298-04-4
Endosulfan	6.9-Methano-2.4.3-benzodioxathiepin.	Endosulfan i	115-29-7
	6.7.S.9.10.10-hexachloro-1.5.5a.6.9.9a-	Endosulfan II	{
	hexahydro-, 3-oxide		}
Endrin	2.7:3,6-Dimethanonaphth(2.3-b)oxirene,		72-20-8
- interior	3.4.5.6.9.9-hexachloro-1a.22a.3.6.6a.7.7a		
	octa-hydro-,	j]
	,	ļ	
	(laalpha_2beta_2abeta_3alpha_6alpha_		
	6abeta_7beta_7aalpha}-	Endrin aldehyde	
Endrin metabolites			
		Endrin ketone	107 17 0
Ethyl cyanide	Proponentrile		107-12-0
Ethylene dibromide	Ethane, 1.2-dibromo-	12-Dibromoethane	106-93-4
Ethylene dichloride	Ethane, 1,2-dichloro-	1.2-Dichloroethane	107-06-2
Ethylidene dichloride	Ethane, 1.1-dichloro-	1.1-Dichloroethane	75-34-3
Ethyl methacrylate	2-Propenoic acid, 2-methyl-, ethyl ester		97-63-2
Ethyl methanesulfonate	Methanesuifonic acid, ethyl ester		62-50-0
Famphur	Phosphorothioic acid, O-{4-	j	52-85-7
	[(dimethylamino)suifonyl]phenyl] O,O-	\	
	dimethyl ester		
Fluoranthene	Same		206-14-0
Heptachlor	4,7-Methano-1H-indene, 1,4,5,6,7,8,8-		76-14-3
	heptachloro-3a,4,7,7a-tetrahydro-		
Heptachlor epoxide	2.5-Methano-2H-indeno(1.2-bloxirene,		1024-57-3
	2.3.4.5.6.7.7-heptachloro-la.lb.5.5a.6.6a-		
	hexa- hydro-,	(Ì
	((laalpha_lbbeta_2alpha_5alpha,	1	
	Sabeta 6beta 6aalpha)-		1
Heptachlor epoxide (alpha, beta, and gamma	Janua (Ucta Vaaipiia)-	Heptacinlor Epoxide a	
reference character (arbust octat and samma		Heptachlor Epoxide b	
Hexachlorobenzene	Benzene, hexachloro-		118-74-1
Hexachlombutadiene	1.3-Butadiene, 1.1.2.3.4.4-hexachloro-		87-68-3
Hexachlorocyclopentadiene	1.3-Cyclopentadiene, 1.2.3.4.5.5-hexachloro		77-17-1
	The solution of the state of th		

Page 4 of 6

Common Name	Chamiant Abane no Mana	Ohan S	Cign
Hexachlorophene	Chemical Abstracts Name Phenol, 2.2'-methylenebis[3.4.6-trichloro-	Other Synonyms	70-30-4
Hexachloropropene	1-Propene, 1.1.2.3,3,3-hexachloro-		1888-71-7
Indeno(1.2.3-cd pyrene	Same		193-19-5
Isoburyl alcohol	1-Propanol, 2-methyl-		78-83-1
Isodrin	1,4.5,8-Dimethanonaphthalene, 1.2,3,4,10,10	1.2.3.4.10.10-Hexachloro-	465-73-6
13001111	hexachloro-1,4,4a.5,8,8a-hexahvdro-,	1,4,4a_5,8,8a-hexahydro-	
	(lalpha, 4alpha, 4abeta, 5beta, 3beta, 8abeta)-	1.4.5.8-Dimethanonaohthalene	
Isosafrole	1,3-Benzodioxole, 5-(1-propenyl)-		120-58-1
Керопе	1.3,4-Metheno-2H-cyclobuta(cd)pentalen-2-		143-50-0
incepality in the second secon	one. 1.1a.3.3a.4.5.5.5a.5b.6-		
	decachlorooctahydro-		
Lead	Same		7439-92-1
Lindane	Cyclohexane, 1.2.3,4.5,6-hexachloro	Gamma-8HC	58-89-9
Mercury	Same		7439-97-6
Methacrylonitrile	2-Propenenitrile, 2-methyl-		126-98-7
Methapy rilene	1,2-Ethanediamine, N.N-dimethyl-N-2-		91-80-5
	pvridinyl-N- (2-thienvimethyl)-	·	
Methoxychlor	Benzene, 1,1'-(2.2.2-		72-43-5
	trichloroethylidene)bis[4-methoxy-		
Methyl bromide	Methane, bromo-	Bromomethane	74-83-9
Methyl chloride	Methane, chloro-	Chloromethane	74-37-3
Methyl chloroform	Ethane, I.I.I-trichloro-	1.1.1-Trichloroethane	71-55-6
3-Methyl cholanthrene	Benz(j]aceanthrylene, 1.2-dihydro-3-methyl-		56-19-5
Methyl ethyl ketone	2-Butanone		78-93-3
Methyl iodide	Methane, iodo-	Iodomethane	74-38-1
Methyl methacrylate	2-Propenoic scid, 2-methyl-, methyl ester		80-62-6
Methyl methane sulfonate	Methanesulfonic acid, methyl ester	Methyl methanesulfonate	66-27-3
Methyl parathion	Phosphorothioic acid, O,O-dimethyl O-(nitro-	Parathion, methyl	298-00-0
	phenyl) ester		
4-Methyl-2-pentanone	Methyl isoburyl ketone		108-10-1
Methylene bromide	Methane, dibromo-	Dibromomethane	74-95-3
Methylene chloride	Methane, dichloro-		75-09-2
Naphthalene	Same		91-20-3
1.4-Naphthoguinone	1.4-Naphthalenedione		130-15-4
ulpha-Naphthylamine	1-Naphthalenamine	1-Naphthylamine	134-32-7
beta-Naphthylamine	2-Naphthalenamine		91-59-8
Nickel	Same		7440-02-0
Nickel carbonyl	Nickel carbonyl, NI(CO)4, (T-4)-		13463-39-3
Nickel cvanide	Nickel cyanide Ni(CN)2		557-19-7
-Nitroaniline	Benzenamine, +nitro-	4-Nitroaniline	100-01-6
Nitrobenzene	Benzene, nitro-		98-95-3
-Nitrophenol	Phenol, 4-nitro-	4-Nitrophenol	100-02-7
N-Nitroso-di-a-propylamine			621-64-7
N-Nitroso-di-n-burylamine	1-Butanamine, N-butyl-N-nitroso-	N-Nitrosodiburylamine	924-16-3
N-Nitrosodiethylamine	Ethanamine, N-ethyl-N-nitroso-		55-18-5
N-Nitmsodimethylamine	Methanamine, N-methyl-N-mitroso-		62-75-9
N-Nitrosomethylethylamine	Ethanamine, N-methyl-Nnitroso-		10595-95-6
N-Nitrosomorpholine	Morpholine, 4-nitroso-		59-39-2
N-Nitmsopiperidine	Piperidine, 1-nitroso		100-75-
N-Nitrosopyrrolidine	Pyrmlidine, I-nitroso-		930-55-2

Page 5 of 6

_		<u> </u>	
Common Name	Chemical Abstracts Name	Other Synonyms	CAS No
5-Nitro->-toluidine	Benzenamme, 2-methyl-5-nitro-		99-55-8
Pentachlorobenzene	Benzene, pentachloro-		608-93-5
Pentachloroethane	Ethane, pentachloro-		76-01-7
Pentachloronitrobenzene	Benzene, pentachloronitro-		82-68-8
Pentachlorophenol	Phenol, pentachloro-		37-86-5
Phenaceun	Acetarnide, N-(4-ethoxyphenyt)-		62-44-2
Phenol	Same		108-95-2
Phorate	Phosphorodithioic acid, O.O-diethyl S-{(ethyl-thio)methyl] ester	·	298-02-2
2-Picoline	Pyridine, 2-methyl-	2-methyl-pyridine	109-06-3
Polychlorinated biphenyls			
Arocior-1016			1267411-2
Arocior-1221			11104-28-2
Aroctor-1232			11141-16-5
Arocior-1242			53469-21-9
Arocior-1248			12672-29-6
Arocior-1254			11097-69-1
Arocior-1260			11096-82-5
Pronamide	Benzamide, 3.5-dichloro-N-(1,1-dimethyl-2-propynyl)-		. 23950-58-5
Propylene dichloride	Propine, 1.2-dichloro	1.2-Dichloropropane	78-87-5
Pyridine	Same		110-36-1
Safrole	1.3-Benzodioxole, 5-(2-propenyl)-		94-59-7
Selenium	Same		7782-19-2
Silver	Same		7440-22-4
1.2.4.5-Tetrachiorobenzene	Benzene, 1.2.4.5-tetrachloro-		95-94-3
1.1.1.2-Tetrachloroethane	Ethane, 1,1,1,2-tetrachioro-		630-20-6
1.1.2.2-Tetrachloroethane	Ethane, 1,1,2,2-tetrachloro-		79-34-5
Tetrachloroethene	Ethene, tetrachioro-		127-18-4
2.3.4.6-Tetrachlorophenol	Phenol. 2.3.4.5-tetrachloro-		58-90-2
Tetraethyldithiopyrophosphate	Thiodiphosphoric acid, tetraethyl ester	Sulfotep	3689-24-5
Tetraethylovrophosphate	Diphosphoric acid, tetraethyl ester	Tetraethyl pyrophosphate	107-49-3
Thallic oxide	Thallium oxide TI2O3	Tenaemy pyrophospume	1314-32-5
Thallium acetate	Acetic acid, thallium (1+) salt		563-68-8
Thallium carbonate	Carbonic acid, dithallium (1+) sait		6533-73-9
Thailium chloride	Thailium chloride TIC!		7791-12-0
Thatlium nitrate	Nitric acid, thallium (1+) salt		10102-45-1
Thallium selenite	Selenious acid, dithallium (1+) sait		12039-52-0
			7446-18-6
Thailium (T) sulfate Toluene	Sulfunc acid, dithallium (1+) salt Benzene, methyl-		108-38-3
	Detizetie, meuryt-		95-53-4
>-Toluidine	Parameter 1 muhil		106-49-0
>-Toluidine	Benzenamme, 4-methyl-		
[Oxaphene	Same		8001-35-2
1.2.4-Trichlorobenzene	Benzene, 1.24-trichloro-		120-82-1
1.1.2-Trichloroethane	Ethane, 1.1.2-trichloro-		79-00-5
Inchloroethene	Ethene, trichloro-		79-01-6
Trichlorofluoromethane	Methane, trichlorofluoro-		75-69-4
2.4.5-Trichlorophenol	Phenol, 2.4.5-trichloro-		95-95-4
2.4.6-Trichlomphenoi	Phenol. 2.4.6-trichloro-		38-06-2

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 50 OF 70

APPENDIX 3

Page 6 of 6

Common Name	Chemical Abstracts Name	Other Synonyms	CAS No.
O.O.O-Triethyl phosphorothicate	Phosphorothioic acid, O,O,O-triethyl ester		126-68-1
2.4.5-Trichlorophenoxyaœric acid	Acetic acid, (2,4,5-trichlorophenoxy)-		93-76-5
2.1,5-Trichlorophenoxypropanoic acid	Propanoic acid, 2-(2,4,5-trichlorophenoxy)-		93-72-1
1.3.5-Trinitrobenzene	Benzne, 1,3,5-trinitro-		99-35-4
m-Xylene	m-Benzene, dimethyl		108-38-3
o-Xylene	o-Benzene, dimethyl		95-47-6
p-Xylene	p-Benzene, dimethyl		106-42-3
Total Xylene (mixed isomers)	Benzene, dimethyl		1330-20-7
Vinyl chlonde	Ethene, chloro-		75-01-4

I. IRIS, April 7, 1994

² HEAST, FY-1993 Annual and Supplement 1.

^{3.} EPA 1993

FORM FO.29B

U.S. DEPARTMENT OF ENERGY ROCKY FLATS PLANT

Dulc:

APPENDIX 4

Page 1 of 1

FORM FO.29B RCRA RISK ANALYSIS

			RCKA RI	RCRA RISK ANALYSIS		G.	
Rocky Date:	Rocky Flats Project: Date:		Soil Soil Soil Soil Soil Soil Soil Soil	Soil Sample Location: Soil Depth Interval:			
ERM	ERM Project Munager:						
	(3)	(2)	(6)	(-)		(9)	
20	Metal or Organic Compound Name	Metal or Organic Compound Concentration (mg/kg)	Carcinogene Risk-based Soil Concentration (mg/kg)	Curchingenic Ratio (average concentration/RBCc)	Noncarcinogenic Risk-based Soil Concentration (me/kg)	Noncarcinogenic Rutio (average concentration/RBCc)	
					, in the second		
			SAM				
)				
			TOTAL		TOTAL		
			GRAND TOTAL		GRAND TOTAL		
20	Total carcinogenic and non Either total carcinogenic or	Total carcinogenic and noncarcinogenic ratios are both equal to or less than 1. Either total carcinogenic or noncarcinogenic ratio is greater than 1.	ire both equal to or less that to is greater than 1.	n I.	•		
1 2 2	Cont. of the second						

The analytical information described on this form is based on information from potentially unvalidated data from RFEDS. This form has been completed in accordance with 4-1146-ENV-OPS-FO.29. A subcontractor was used in support of completing this form and the work has not been independently verified by the PM. Based on the above, this form is accurate to the best of the PM's knowledge and belief.

ERM Risk Analyst:

Comments:

Page 1 of 1

FORM FO.29C INCLUSIVE RISK ANALYSIS

		INCEUSIVE R	INCLUSIVE KISK ARALISIS		
Rocky Fluts Project: Date:		Soil Sar Soil De	Soit Sample Location: Soit Depth Interval:		1.9gc
ERM Project Manager:					
(1) Metal or Organic Compounds Name	(2) Metal or Organic Compounds Connecutation or Activity (mg/kg or pCl/g)	(3) Carcinogenic Risk-based Soil Concentration (mg/kg or pCi/g)	(4) Carcinogenic Ratio (average concentration/RBCc)	(5) Noncarcinogenic Risk-based Soil Concentration (mg/kg)	(6) Noncarcinogenic Ratio (average
		SAI	SAINDIE		
]		
		TOTAL		TOTAL	
		GRAND TOTAL		GRAND TOTAL	
D Total caremogeni	Total carcinogenic and noncarcinogenic ratios are both less than or equal to Either total carcinogenic or noncarcinogenic ratio is greater than 1.	both less than or equal to is greater than 1.			
ERM Project Manager:			, Dr	Dute:	
EDAM Disk Analyses				Dute:	

The analytical information described on this form is based on information from potentially unvalidated data from RFEDS. This form has been completed in accordance with 4-H46-ENV-OPS-FO.29. A subcontractor was used in support of completing this form and the work has not been independently verified by the PM. Based on the above, this form is accurate to the best of the PM's knowledge and belief.

Page 1 of 11

TCLP REGULATORY LEVELS AND TABLE OF RISK-BASED CONCENTRATIONS

TABLE 6-1
TCLP CONSTITUENTS OF CONCERN MAXIMUM CONTAMINATION LEVELS

CHEMICAL	REGULATORY LEVEL (mg/L)
Arsenic	5.0
Barium	100.0
Benzene	0.5
Cadmium	1.0
Carbon tetrachioride	0.5
Chlordane	0.03
Chlorobenzene	100.0
Chloroform	6.0
Chromium	5.0
o-Cresol	200.0
m-Cresoi	200.0
ρ-Cresol	200.0*
Cresul	200.0*
2,4-D	10.0
1,4-Dichlorobenzene	7.5
1,2-Dichloroethane	0.5
1.1,-Dichloroethylene	0.7
2,4-Dinotrotoiuene	0.13*
Endrin	0.02
Heptachlor (and its hydroxide)	0.008
Hexachlorobenzene	0.13*
Hexachlorobutadiene	0.5
Hexachioroethane	3.0
Lead	5.0
Lindane	0.4
Mercury	0.2
Methoxychlor	10.0
Methyl ethylketone	200.0
Nitrobenzene	2.0
Pentachlorophenol	100.0
Pyridine	5.0°
Selenium	1.0
Silver	5.0
Tetrachloroethylens	0.7
Toxaphene	0.5
Trichloroethylene	0.5
2.4.5-Trichlorophenol	400.0
2.4,6-Trichlorophenol	2.0
2.4.5-TP (Silvex)	1.0
Vinyl chloride	0.2

If o-, m-, and p-Cresol concentrations cannot be differentiated, the total cresol (DO26) concentration is used. The regulatory level of total cresol is 200 mg/l.

Quantitation limit is greater than the calculated regulatory level. The quantitation limit therefore becomes the regulatory level.

Page 2 of 11

CARCINOGENS AND NONCARCINOGENS RISK-BASED CONCENTRATIONS FOR SOIL IDM RCRA CONSTITUENTS OF CONCERN

TABLE 6-2

								·		
VN	VN		-	•	•	•		·		forans-m-molt) q
278,940028	12103607	•	-	Z0-510.Z	10-31/Z	20.518.7	10:31:7		ζ'1	stelisus-knold")
870016.812	VN	\$.7E.03	Z OE-02	7.0E-02	•	•	•	-	Z'1	(hlombensene
A200887.22	VN	•		1.0E-03			•		ı	ումի ու ստին Ն-գ
RUUZBBEB.O	97861870.0	·	-	\$0-30'9	1.3E+0n	3.7E-04	00+HC.1		i	(Etomoti amma bna arkila) suchodif.)
800283EB.0	928515700	-		20-310.a	00+EE.1	10.117.8	00+BET		1	(blottlane
86006297.6	9286152.0			10:10'L	\$13E-03	1.5E.us	10-96.1		i	sbrintasi tertachinde
1394,70014	VN	2.91.03	1.0E-02	10:30:1		•		·	2.1	shillurih media")
219171080	3871.46729		-	1-0-30.2	00+3E-9	£0:318:1	-		i	nwimbs()
82001-6872	VN			10-110'7	-	-	-	· · · · · · · · · · · · · · · · · · ·	ī	Buyl benyl pluhalate
VN	VN			· -		-	· · · · · ·			1-13 psinopheny fyriny educt
BZ(X0+6-87Z	LL5199E1't		-	20:310:2	£0-36'£	90:EH11	£0.316.7	·	i	ภาษาการ
870016.812	0.52709256		-	2.00E-02			6.2015-02		i	Homodichiomethme
1015661.13	72253300.0			£0.30.2	8.45.400	2,415.03	4.3E+00	· ·	1	Her):Histin
ΨN	11919580'0					-	7.3E+00		E	hensula hyrene
VN	18619198.8				-	-	7.315.02		£	[]cusodineonili/josus
	86191988.0		 				10.30.7		[ին Մարդարիերգ
	0 00011500			€0-110.€	Z0+3E-0Z	20:117.8	7.36.402		1	onibixanft)
VN	1.12688351.1	· ·			20-36.5	90-116.8	20:36:2		1) lensence
	86161388.0			 			10.516.7		· C	Suscenting Library
	VN			ZO-110 L	 		· ·		1	moisell
	LLSL110.0			10-30.E	1.5E+01	£100.0	00+38.1	\$0.510.2	ī	2in3t1A
T002E, T93	1.30718954	-		70-310-8	20.32.5	90:31°L	20-32.5	-	7.1	Similar A
212271.1	VN	 	-	t0-510.1t			 	1	1	Animony
VN	VΝ	10-36-C1	1.013-03			 	 		1	ənilmA
VN	VΝ	1				 	 	1 .		L(usihidoninA-L
VN	AN	1.9E.04	1.0E-03		 -	 	 	· · · · · ·	ī	Allyl chloride
				20-30.E	1.76.01	£0-:16"F	10+:14-1		1	unblA
VN	E0812030.0	\$7E.04	2.00.30.5		3"4E-01	\$0:18.9	10-311-8		i	Acrylomitik
870016.872		30.37.8	2.00.505	Z0-30.Z	† 	 	1	•	7.1	nishnoA
VN	VN				· · · · · · · · · · · · · · · · · · ·	1	· · · · · ·			2-Acciylaminaflunane
1301,70014	VN	· · · · · · · · · · · · · · · · · · ·	· ·	10:30:1	 	 	· · · · · · · · · · · · · · · · · · ·	 	ī	Acciophenone
1800289 68	VN	· · ·	· -	10-10-9		 	-	 	ī	Accominic
11007,1051	VN		 	10-30-1	 		1	-	i	Accione
(8x/8in)	(8x/3m)	(nig/kg-day)	(£40/340)	(Yeb-8-Agin)	(Yeb-8x/8m)/	(((10/311)/)	[/(mg/kg-day)	(-[/am)/t	References	Common Name
RICHG	висе	เบษ	ואכ	(DR In)O	Stope Factor	trial Rint	Poline"	AriSt sint tasts		
		noisaladal	noisalaskil		noitaledat	nobaladul	aqol2 leiO			
L	<u> </u>								·	

Page 3 of 11

578,940028	AN .	-		2.013-02		· ·	T	1	1 7	anschowoldsid-5,1-znast
F1007E, QET	VN	•		Z0:310:1				•	7	ensthoughlaid-£,1,-tia
RZ0016'RLZ	٧N	•	-	2.0E-02			-		ī	1,2 Dichlomethene
125,523013	0.05446623	-	: :	10:10:6	10:318:1	50:30.2	10-30-9		i	ի Մուհեւնչգինու
2789, 10028	٧N	•	-	10:310.2			-	-		1) is historial humanicihane
YN	ΑN		1		00+HE.0	EU 3972		-	5	named - Prichlord - Pritein
VN	VN	•	-	-	00+316.0	£0:319°E		-	ī	1,1 Dubbio-2 butenc
VN.	191292100	-	-		-		10:35:1		1	1.3. Dichlorobenzinne
YN	LC\$\$919E'1	3°3E·01	10-30.8				3 11: 03	70-F18.A	2,1	કલક્સાસ્તુલ્લામું તે
1.10071-05.1	٧N	•	-	1:0:10:1			-	-	ī	sassusdondhid in
1522,23013	٧N	\$.7E-02	10-30°Z	50-90.e	·		· · · · · · · · · · · · · · · · · · ·		2'1	anazuadonolda(1 o
1394,70014	٧N	-		10:310:1	-		-	-	ī	- Մւնաչի կանական է
278.940028	12440686.0	-	-	7.001:02	-	-	8.4015.02	•	1	smilismooldsomoil(
ΔN	1921-6650-0	\$0-9L'\$	10:30.5		£0:316:9	\$1415.03	00+31:1	\$0:90°F	2'1	1.2. Simporportion - S. Chimopropies
VN	FF919580'0		-	-	1 -		7.3E+00		ξ	sasswithm:[d,s]ovasti(1
٧N	SHEETZEZ.O	•					6.1E.02	90-EL1	3	suilla()
TOOSETE.A	88911960.0		-	F0-E10-8	10:31:0	\$0.3F.0	10:31:0	· · · · · · · · · · · · · · · · · · ·	ī	. Ldd
YN	88911960'0	-	-			-	3.46.01	-	1	jidd
YN	R55919E1 0	•	•	· ·			3746.01	1	1	and
110071,QE1	VN	•		1.0E-02	-	1	1	·	i i	d l'a
578,940028	ΫN	-		20-30.5		-	·	·	ı	slain.y()
T002ET.03	ΨN	•	-	£0-30.2	-	·	T	Ţ	7	[લક્સ)ન
TOORE, TOO	٧N	•		\$.0E-02		·	-	•	i	lozstho
T002E.T03	٧N	•	-	\$.0E.02	-				i	luzar)-m
AN	F8EF919'58	-	-	•		1	7.36.03		ξ	Chrysone
1616161.68	580.720093	-	-	£0:30:\$	10+317°F	1.2E-02	-		i	(IV) mamort)
12626,2626	VN	-		00+30.1	-		-	<u> </u>	ī	(III) amianord)
AN	ΑN	•		-	-	-	-			majmord')
VN	AN	2.06.03	£0-90.7	-		·	-	-	ζ.	, hiotopicus
TOORET. 63	٧N		· · · · · · · · · · · · · · · · · · ·	\$.05.03		1	1	· · · · · · · · · · · · · · · · · · ·	ī	ի Հիկուսիկայու
1109/5111	ΑN			8.0(30.02		•	-		i	ութ (Դիրանարիրիթիշտ
139,470014	GITEELSE'S	-	·	1.013.02	8,113.02	2.3E-05	E0:31:9	·	i	unolonolii')
ΔN	AN	2.913+00	10+30.1	-		-			i	, historibus
YN	VΝ]	-		-				2. Chlomethyl vinyl ether
(34/300)	(3.\\gm)	(mg/kg-day)	(£111/3111)	(MEVER-day)	(Yab-g3/qm)/1	(£111/21/1/)/[1/(mg/kg-day)	(.l\sim)\l	References	sumM nomino()
KBCus	KBCc	สมา	BIC	ताश्र एक	Slope Pactor	अयंत्र भंतत	งการหู	अव्यक्ष भवत । हा		
t	1	noinstarted	nointaint		noisaledat	noindadal	squl2 lanO	1		

Page 4 of 11

had Unit Risk Factor
1/(mg/l.) 1/(mg/kg-day)
1.16+00
2.013-06 7.013-02
1.81:01
5.113-06
\$ 16.06
,
•
,
•
•
•
•
•

Page 5 of 11

ΥN	YN		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						Methyl methans suffonsic
	YN		 	5()-El(H).8				-	Ž	Shahyi medhaciyiata
	VN		:				· · · · ·	- :	1	State todide
		10-E19R'Z	1,00£400	10-2100-9				 	1	Verhyl ethyl Leione
	VN		:		:) Methyl cholandhens
	VN VN						- :	 		moloiold : 17dis17
	VN		· · · · · · · · · · · · · · · · · · ·		•			· · · · · ·		Marchinels
	L	£0-311-1	E0-310.2	1.0-11+1				-	i	अन्तर्भ विकासम्बद्ध
	AN			E0.30.2				· · · · · · · · · · · · · · · · · · ·	1	/Librarychbit
	VN							· · · · · · · · · · · · · · · · · · ·		Methypidene
	VN VN			10:301.	-		-	 	1	Alcibaciyloninde
		50-319 8	1.0.30.£	10.30.£		-	:	 	Z	Amorejy
	92861520.0	-	:	10-310,E	····	· · ·	1.3E+00	3.76-05	71	અલકામન
	VN			-						pro
	VN					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		Kepane
VN	VΝ							· · · · · ·		əhnikenel
	VN							· ·		nith1
	VN	ZO-513.8	10-30.£	10-30.E				 	t	Polanyi alcohol
	86191958.0	:	:				7.36-01	-	E	anaryqlba-E,5,1 Jonabal
VN	YN	-				····		· ·		11csthlompene
	VN		-	10-30.E			· · · · · ·	-	1	Hexachlumphene
	2,33426704		-	1.05.03	1.46.02	90-310. t	1.415.02	-	i	Hexachlorochane
	YN	2.0E.05	7.0E.05	£0.30.7			-		7.1	Hexachlorocyclopentadiene
	10170811.0			2.0E-04	7.76-02	2,28-05	7.8E-02	- "	7'1	The sachilosobutadiene
	0.02042484			1-0-310.8	00+39:1	t0-39't	00+39.1		-	Headhlochenzene
	81162500.0			20-516.1	9.16+00	2.66-03	9.15+00			Hepschlor epoxide (alpha, beta, and ganuna
	81162500.0		 	SO-SE.1	9.16+00	2.613.03	9.1E.00	1	1	lepseblor epoxide
	91292100.0			10-30.2	1.6E+00	1.36-03	4.5E+00	· ·	i	10pt.ppl
	VN	• .		108:05			· ·		ı	- Joonstopene
VN	VN	·	 	-						wikkur:1
YN	VN		-	 			-			Standluzanethan Patric
1	YN			20:30:6		-	-		2	իրիկ ազդարդիրը
+1007.40E1	VN	10:31:1	10:30.2	10:30.1		†	· ·		Ž	sbholdsib anabil (dif)
VN	10811656.0	· · · · · · · · · · · · · · · · · · ·	1	 	50-31-6	\$0-:19.5	9.16-02		1	shooldale and chil
(By/āiu)	(mg/kg)	(Xep-ayauı)	(£00/200)	(Kep-8-yain)	(Xeb-24/3m))	((0)/5(1)/(1/(mg/kg-day)	(.l\am)\I	References	Small nomino()
Васис	ะวยม	noinstadal GDA	Inhulation	GDI 161O	Inhalahon Sape Pactor	noitaladal JaiS naO	Oral Slope Passor	acist nott lanO		

Page 6 of 11

1551 197917		!	7,705,00			· · · · · · · · · · · · · · · · · · ·		T	0.00424412	N I
6101-141-017		!	00.510F.F	•		20.5100, T			0.00424412	0679460
alynathid teammold eytest		1 5.2013-0-	00+30f.f		•	•			0.00424412	VN I
Smile of 1		-	•						VN	
Similar					·	2,001:.04	•		VN	2.78940028
lonar		- 1	•	·		10:100.3		•	VN	8368.2008
постан,		-	•	•		•	•	-	VN	
lonsityroldams.		. !	1,20E-01	•		3,0015.02	•		0.27233115	
sustando monodifactos!	1	20-EIOF.7	2.60E-01	•		£0.:100.£			0.1256913	11.8410042
श्वाम्याञ्चलाच्या व्यापन									YN	VN
consultation sense		· !		•	•	10-3100.8	· ·	-	VN	1109721.11
əmbulot-o-miH.					•	•	·		VN	ΥN
subilotiquaniA-t		\$0.501.6	2,100,100	6.10E.01	2,131:100	· · · · · ·			87132210.0	
sulhitapporoun/1-1					•			•	VN	VN
sailothpononony t			•		•			-	VN	
Snimalydislydramoromid 1	<u> </u>	10-306.8	2,20E+01		•				115811000	
suitual/ethornibezerniM-1	1	1 10E-03		1.40E.02	10+306*			•	8701-3000.0	
Minusphanine	<u> </u>	E0-90E.1-		4.306.02	1.506+02				0.00021786	
animulyud-n-ib-umuh 1	1	1.60[3-04	5.40E+00	1.60E-03	00+5165.2	-			8150900'0	
animalyqunq-n-ib-oronik-1			DO+300.5		:		-	-	E2899100.0	
lonsdqoniN-		•	•	-			•	•	YN	
litedecizence	1	-		•		10.5100.2	·		VN	
- Suliumoni K		•	:	•		-		•	٧N	
lickel cymide		-		-			-		YN	
أنظما فسلحسها		-		-	•			•	٧N	
lek et		•	•						VΝ	
sninntydddy. er		-		•					٧N	
snimalyddidgaM-edg					•		-	•	YN	
saoniupedulep.N-F.				-	•		-		VΝ	ΨN
sushahda			-	-				-	٧N	AN
sbirolita etiloride	7,1	70.101.5	E0.302.7	T0-30F.4	£0:31:9:1	20-5100.8	00+30.0		LTRGZLSE'T	180028.9ER
lerbylene bronnide		·			•	•			AN	VN
Methyl-2-pentimone	7		•			\$,00E.02			AN	10021.763
moidered Edus	1		•	-	•	2,5012-04		•	VN	SEOSTABLE
arneM normino()	References	(.Nam)\t	Nungkg-day)	1640/243/1	(Ving/kg-day)	(yeb-gayam)	(5,00/200)	(Arp-Ryau)	(8.4/800)	(3.VSm)
		AziStinO LinO	agol2 finO numfl	nointaibil AziSt nint1	noiseledal saisel squiZ	(ताम्राह्य	noimiadal DIS	nointaini (f))	ะอยม	हारण

Page 7 of 11

TABLE 6-2 (continued)

,				10 11001	· · · · · · · · · · · · · · · · · · ·		 1	· · · · · · · · · · · · · · · · · · ·		lonadqqaddair[-C,F,S]
	AN			10-300.1		 				Trichlorotheromenhane
	νN		:	3,006-01				<u>-</u>		Unchlotochene
	AN			50 7001	\$.59E-02	\$0.309 I	10-306.2	90-309-1		1,1,2-Trichlorocthane
	TBSECTEO.O			1.00E-03	CU 305 5	30 307	10 302 7		1	orizansdo ioliki [1-1-1-1
110071.QE1	AN	2.6E-03	9.0E-03	1.00102		10.707.5	1.10E+00	3.20E-05	·	anaduseT
VN	28807050.0				1.12E+00	3.20E-04		30-305-06		p-l'aluidine
YN	79866171.0			· · · · · · · · · · · · · · · · · · ·			10.3001	90 304 3	<u></u>	anibiolo I ao
YN.	AN									Infuenc
3789,40028	AN	10-3+11	4,00E-01	3.00E-01	-					thether (1) multire
L1089501	AN	•	-	8.00E-05				L	<u> </u>	Phillian schale
YN	VN	-	1	-		· · · · · ·				Ste the moilled!
L\$800321	VN		-	9.00E-05					<u> </u>	əbi səldə məiltəff
71E08950.1	VN	-	•	8.00E-05	•				<u> </u>	Thatlium cartsonate
71E08320.1	YN		-	8,00E-05	-	-	-	-	!	filling extents
T200881.1	AN			\$0-300°6	-	-	•	<u> </u>	<u> </u>	
YN EVEGOROT :	YN			-	•		•			Thalbe oxide
VN	VN		:	•		•	-	-		Terracinylpyrophosphate
1002216.3	VN		:	\$.006-04	•		•		<u>. </u>	Ten achyldithiopyrophasahata
210011 811	IVN			1.00E-03	•	-	•	·	1	lon-diporphenol
+10074.9E1	VN			1.008-02			•		1	Tenveldwoethena
YN	698625910				2.016.01	\$.80E.0\$	2.00E-01	3.80E-06	1	1,1,2,2-Terrachlorocibano
210015.81t	20016952.1			3.00E-02	2.59E-02	2 40E 06	3.60E-02	7 40E-07	1	1,1,1,2-Tetrachloroethana
1.18410042	AN		-	3.00E-04			-	-	1	1,2,4,3-Tetrachlorobenzena
372 6602.01	VN		•	\$.00E-03	·	-	-	-	1	Silver
	VN		 -	\$ 006-03			-	-	l .	Geleninn
Z80E90L'15	AN						•	•		əlońic
YN	AN			1,008-03	· · · · · · · · · · · · · · · · · · ·					Pyridine
F1007F6.C1	AN	1.14E-03	1.008-03	:			<u> </u>		ı	Popylene dichloride
YN	VN	10 3711		7.502.02					I	- Spinanor
1520 9101						-	J.70E+00	•	l	1260 tempor
AM	0.00424412						00+30L'L	•	1	F251-101507
YN_	0.00424412	<u> </u>	<u> </u>		 -	<u> </u>	7.70E+00		1	8F21-1015017
AN	0.00424412				<u> </u>	 	J 70E+00	-	1	/tix/hr-1242
YN	0.00424412		<u> </u>	ļ	 	 	7.70€100	 		/toclor-1232
ΥN	0.00424412	77	75.00 9.00	((UB\R-G97)	(mg/kg-day)	((tu/8ii))(1/(mg/kg-day)	(·1//lui)/i	References	Sonunon Name
(ម្ចាស់ស្គង)	(8:X\gm)	(UIR/KB-qaX)	(mg/m))	1	1		Factor	NeiSt tinU tarO	i i	
RBCoc	RBCe	ดเม	Di4	CDS LayO	Slope Pactor	dei R tinU	equis lano	4.0 4.111.20		
1	1	noitaladal	noisatadal	1	noitsladul	noitsladel	0012150	<u>.l</u>	اـــــــا	

Ionadqo toldair T.C.F.S

Page 8 of 11

							Laborhoom	Orineladol		
			Ocal Slane	Inhalation	Inhalation		Hillalateri			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			1			(10) Pro (10)	SIC.	3	325	KISC.nc
		Oral Unit Kisk	i'actof	Hall Klisk	יייים אלחור		í	funds a America	(me/kg)	(m;/k;)
		(1/1,/1)	(Amr. Ar. day)	1/4µg/m3)	(/mg/kg-day)	(mg/kg-day)	(mg/m)	(HIE/AE CLAY)	C 3000 COC O	42
Common Name	References	C) 301 C	1,00,01	3 10F.06	1.0815.01	•			0.2010001	
1 to Trichlorophenol		3.101:07	10:301.1			6.013.03		•	Y	83.682008-I
1 3 Tachlomoropane									٧X	Y X
O O O Tricthy obastdacedioate									VN	NA
7 1 S.To. Marcohemaryacette acid						8 (101; 113			٧N	111.576011
1 5 Tochtomolepaxyoropanoic acid				•		S (wif: 05			Z	0.69735007
1.1 C. Tournalemzene						001:00			VA S	27894.0028
X.Line						00.900 c	,		٧Z	27894.0028
Xylone				-					NA	YN.
						W. Swa c			٧Z	27894.0028
- Aylene						(m) + (m) 7			0.01710086	Ž
That Xylene (mired isomers)		2 S.10E-05	1.90E+00	8.40E-05	3.00E-01				0.01717	
Vinyl chlande										
Epol Clear State						•				
The second of th										
2. HEAST, P.Y. 1993 Annual and adjacences P.										
3 EPA 1993										

APPENDIX 6

Page 9 of 11

CARCINOGENS AND NONCARCINOGENS RISK-BASED CONCENTRATIONS FOR SOIL IDM CONSTITUENTS OF CONCERN

TABLE 6-3

Suither mitherobo:	8-70-1601	7		•	•	-	£0.50.A	•	-	VN	83,682008
II milasoba:	33513-65-9	Z		-	-	·	E0:510.A			VN	83.682008
hichlohia	1.57.53	F ,	•	2.90(3.01	•	-	10:100.2		-	RRR9ZIIIO	FOOZEFE.
นนากุกรบะศูก	6-19-261			-		•	-			YN	VN
unmari(5-11-666		·		-	•	-	•	-	٧N	٧N
บคาวเมอ(E-81-5908	1	-	•	-	-	\$0:3001		-	٧N	1088722.0
OHU-THE	8-98-616				-	•	•			٧N	ΑN
add a	9.50.687	1		3716:01	9.7E-05	10:3FE	10-110-5	•		69119600	T002ETU.2
HOO'.	3-151-86-6	i i	-	10:31:E			-	:	•	6911960'0	٧N
OUC F	0-61-65	1	-	5'415'01		-	•	•	-	95919610	ΨN
seeldminne	1-21-95		•	•	•	-	•	•	•	٧N	VN
بالمحر	8-02-01-1		-	•	-	•	•	•	•	٧N	VN
ilade.	1-81-0117		-	-	-		·	•	-	٧N	٧N
rojukdiejų	5921-88-2	i	•	•	·	-	£0:100.£	•	•	٧N	11.841001
mmes	2-91-0+17		-	-	-		-	-		٧N	٧N
pluzedie	8-1-L-98	7		2,0015,02	-		-	•	-	6986559.1	AN
1614.6	3-61-00156		-	-	-				•	٧N	٧N
DHH-ma	7.28.GIE	1	-	00+308:1	F0:30E'S	L'ASE+OO	•	•		FSS1810'0	٧N
Jonzyl alcohol	9-15-001	7	•	-	-	-	10-1100'E	•		٧N	1181,1001
biog acord	0-58-59	i	-	•	-		4,0011400		-	٧N	900.88722
parvo(Spr)barkjene	191-24-2		-	•		•	-	•	-	٧N	٧N
իչփութակաչ	0.02-38		-	-	-	-	-	•	-	٧N	٧N
oungqii)	1.21.021	ī	-	-		•	10:3100.6			٧N	1001 TR11
cinatun	L-11-199L	1	-	•		•	-	10-300.1	2.86F-02	٧N	199916162
manny	7429.90.5		•	•		-		-	-	٧N	YN
JIHI-1111C	9-1-8-616	ı	·	6.306+00	CO-EIO8:1	6,29E+(M)	-		-	E781200.0	ΥN
sualyhhhylene	8-96-807		•	•	·	•	·	•		٧N	
anaphihana zi	83-35-9	i	•	•	·	:	6.0013-02	•		٧N	80028.3F8
α μειοδρευλί δηκική κιμετ	7005-72-3		•	•	-			•	- "	٧N	٧N
Sudingonik:	5.60.66		•	•	•		-		•	٧N	٧N
Mittephani M	2-27-88				<u> </u>	·	-	•	· _	٧N	YN
Suitamonik	1-17-88	ζ	-		-	•		2.00E-04	F0-E107.2	٧N	YN
չլուրչկողերությու	9-L5-16		-	-	· · · · · · · · · · · · · · · · · · ·	-			-	٧N	٧N
- Heamone	9-86-165			:	-		•		-	ΥN	
straM nomino")	"N 5VO	Kelenenes	(.Ngm)\1	(yeb-ga/squi)/I	(£11/44)/I	(Yeb-84/4m)/j	(Aup. # Vann)	(finklin)	(Yeb-93/9m)	(84/8m)	(3.X3m)
		1	AsiM intl	301264	अंदाश मंतरा	ગામમાં આવેટ	COM INO	BIC	КIJ	माराह	KIKCPG
			liaO	egol2 lanO	noinstatut	noinfedal	,	noitaladal	noneledal		

Page 10 of 11

			Drift O	Oral Shape	Inhalation	Inhabition		lishalation	Inhalation		
		-	Unit Risk	Factor	their Risk	Slope Factor	Oral RtD	KIC	ē.	RIICe	RIICinc
2	N 7 8 C	References	//www/I	Manche day)	1/(nx/m3)	I/(mg/kg day)	(mg/kg-day)	(m/E/m)	(mg/kg-day)	(mg/kg)	(mg/kg)
Caning Came	\$-F9-1016	I Veletimen					1.00E-05			AN	0.13947
1 N 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1 O	563 13.3	-					5.00E-04			Y.	6.9735007
	1310118									ΥN	NA
dondon	13154-4						1.000.01	1.001; +90	2.8613-01	A'N	1394.7001
ahylbanzene	100-41-4									Y.	Z
ensulfothion	115.90.2									Ž	Ž
Femhion	55.38-9									2	70000 633
Photone	86.73.7	_	,	•	•		4.001:-02			VZ	337.88000
Surday One	78.59.1	-		9.501:-04			2.001:-01	•		34.399725	2789.4003
il binni	7439.96-5					•	,	,	,	₹ Z	YY X
A.C. Lubino	121.75.5	_				,	2.001:-02			Y N	278.9.1003
	3.40.01.1						10-301-1	\$.00E.0\$	1.4312-05	Y.	433.92035
Man Bancas	150.50.5						3.000.05		-	Y Y	0.41841
N.C.I. Havis	7 10 7055		-				,	,		٧X	۷ Z
McVimpilios	1.00.011						\$.00E-03			٧X	15.542431
Medytelemin	1-33-38-1									ž	
Monoceanphos	6923-22-4				.					FFELDYY Y	Ž
N. Nitrosodiplicaylumine	86-30-6			1.901:-03	,		. 000.0			2	27 80
Naled	300-76-5	-					2.001.00			2	
Nillate	14797-55-8	_					001:400°			C.	
Ninge							1,001[:0]			YN.	3
Onlyabusahate	14265-44-2		,			,	٠		,	٧٧	L
of the return the same	106-50-3	[-1		,		•	1.9013-01			¥ Z	2649.9
1 1111	N 5.01.8								•	ž	_
Permanent	129.00.0					,	3.001:-02		•	Y'A	418.41
1 Nice Louise manufine	\$ 6. 57.5							,		¥	
100000000000000000000000000000000000000	299.84-3		,	,				, ;		ž	
	0 07 81 000				,			•		NA	
of the party	7 10 0116	-		,			10:100.9			Ϋ́Z	17800.002
Monthum	9 00 001						2,000:01	1,0015 + 00	2.866.01	¥Z	2789,4003
Siyikhe	F-71-001									ž	
Sulfate	1-1808-19-8		•						,	Ž	Ž
Sulfide	18496-2508		•		.		10 2000			2	5800
Tin	7440-31-5	2				.	0.18)(2.0)			2	
Fokushion	1-91-6191-6		٠		•		•			ž	
Liburyi phosphate	126-73-8			•	•					YZ :	
	00000		L			•	_		•	∑	ž

Page 11 of 11

											71117
150.071	NA			3.0015:01	•			,	_	71.10.66.6	7
C13C8 001 1	Y A			. 0000						108:07:4	Vinyl accture
2	NA				•		•			1.08 05.1	
ž	-										Valled William
5	VN				,		,			C.CA.111.1.	
***	-						1	111111111111111111111111111111111111111	NCIENCINCES	C.7.3 Mil.	Common Name
(mg/kg)	(mg/kg)	(me/kg-day)	(mg/m3)	(mg/kg day)	(/une/kg-day)	1/(1112/1113)	14meAre-day)	(Vector)	H. Common	O S C	
200		3	KIL	Oral KID	Slope Factor	Unit Kisk	Factor	Unit Risk			
		10.00	()			
		Inhabatton	Inhalation		Inhalation	noneladal	Oral Stone	Te C			
		L									

Page 1 of 1

FORM FO.29E, COMPUTER-GENERATED CLASSIFICATION OF IDM

U.S. DEPARTME	U.S. DEPARTMENT OF ENERGY	ROCKY FLATS PLANT	LANT					FORM FO.29E
		Ü	OMPUTER-GENE	COMPUTER-GENERATED CLASSIFICATION OF IDM	ICATION OF IDE	7		Page 1 of
Rocky Flats Project:	it: n Performed:	Drilli	Drilling location number or OU	or OU				
Drum No.								
Numbers:			11				:	
(1) Anulyte Name	(2) Average Concentration (mg/Kg) Avg	(3) Analyte above Mean + 2SD? (Yes/No)	Consident Conscentration > AF X TC (Yes/No)	(5) IDM RCRA Constituent of Concern? (Yes/No)	(6) RCRA Risk Analysis Carcinogenic Ratio (Avg X IF X SL)	(7) RCRA Risk Anulysis Noncarcino- genic Ratio (Avg X IF/RED)	(8) Inclusive Risk Analysis Noncarcinogenic Ratio	(9) Inclusive Risk Analysis Noncarcinogenic Ratio
ni ace ar s					L			
			S	Reference Communities Risk	L)			
2								

The analytical information described on this form is based on information from potentially unvalidated data from RFEDS. This form has been completed in accordance with 4-1140-ENV-OPS-FO.29. A subcontractor was used in support of completing this form and the work has not been independently verified by the PM. Based on the above, this form is accounte to the best of the PM's knowledge and belief.

ERM PM:

Signature

ERM Risk Analyst:

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 65 OF 70

APPENDIX 8

Page 1 of 6

RISK-ANALYSIS METHOD

The risk-analysis method used in this procedure will be applied for IDM RCRA Constituents of Concern (RCRA risk analysis) and for all other IDM Constituents of Concern (inclusive risk analysis). In the risk analyses, constituent concentrations in the IDM are compared to chemical-specific Risk-Based Concentrations (RBCs) for soil. The calculation of RBCs is based on multiple exposure pathways (direct ingestion of soil, dermal absorption, inhalation of suspended soil, and ingestion of food grown in contaminated soil), EPA chemical toxicity data, and conservative target risk levels (excess cancer risk of 10-6 and HQ of 1 for noncarcinogenic effects).

The RCRA risk analysis will be performed as follows for all IDM RCRA Constituents of Concern:

Carcinogens: Ratios of constituent concentrations to RBCs will be calculated and then summed. If the sum is greater than 1 (representing a cumulative cancer risk of 10-6), the IDM will be managed as a RCRA waste.

Noncarcinogens: Ratios of constituent concentrations to RBCs will be calculated and then summed. If the sum exceeds 1 [cumulative Hazard Index (HI) of 1], the IDM will be managed as a RCRA waste.

The inclusive risk analysis will be performed as follows for all IDM Constituents of Concern:

Carcinogens: Ratios of constituent concentrations to RBCs will be calculated and then summed. If the sum is greater than 1 (representing a cumulative cancer risk of 10⁻⁶), the IDM will be held in non-RCRA interim storage. If the sum of ratios is 1 or below, the IDM may be removed from storage.

Noncarcinogens: Ratios of constituent concentrations to RBCs will be calculated and then summed. If the sum exceeds 1 (cumulative HI of 1), then the IDM will be held in non-RCRA interim storage. If the sum is 1 or below, the IDM may be removed from storage.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 66 OF 70

APPENDIX 8

Page 2 of 6

The equations, default exposure parameters, and other factors used in deriving the RBCs are described below.

Basic Equations for Calculating RBCs for Soil:

The generic equations used to calculate multiple-pathway RBCs for soil are shown below. The equations are derived using the Environmental Protection Agency (EPA) guidance for risk assessment in accordance with EPA, Risk Assessment Guidance for Superfund, Volume 1, Human Health Evaluation Manual, 1989 and the Colorado Department of Health (CDH) Interim Final Policy and Guidance on Risk Assessments for Corrective Action at RCRA Facilities, November 1993. The CDH guidance was specifically used to obtain the intake parameters in the following equations. RBCs are chemical specific, and are in Appendix 6, Tables 6-2 and 6-3.

Chemical-specific toxicity factors, namely reference doses (RfDs) for noncarcinogenic effects and slope factors (SFs) for carcinogenic effects, are used in calculating the RBCs. These toxicity factors are developed by EPA, and undergo periodic review and revision. In addition, new toxicity factors may become available as additional chemicals are evaluated. The primary source of EPA toxicity factors is the IRIS, an on-line database of EPA-verified toxicity values. The second source for toxicity factors is HEAST for the current year. Additional toxicity information for some chemicals may be available from the EPA Environmental Criteria and Assessment Office (ECAO). The tables containing the toxicity factors will be updated on a periodic basis by the Environmental Restoration Risk Management Group.

Intake factors (IFs) used in the RBC equations shown below are described in detail in this appendix. IFs for noncarcinogenic effects and carcinogenic effects are calculated using slightly different equations. All IFs used in the calculation of RBCs have units of kg soil/kg body-weight per day (kg/kg-day). RfDs have units of mg chemical/kg body weight per day (mg/kg-day). SFs have units of risk per mg/kg-day.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 67 OF 70

APPENDIX 8

Page 3 of 6

Noncarcinogenic Effects:

$$RBCnc = \frac{HO}{IFo + IFd + IFi}$$

$$RfDo RfDi$$

Risk-based concentration for noncarcinogenic effects of chemicals in where RBCnc = soil (chemical specific) (mg chemical/kg soil) HO for noncarcinogenic effects = 1 HQ = IFo Oral intake factor for soil ingestion (kg/kg-day) = IFd Dermal intake factor for dermal absorption from soil (kg/kg-day) : = Oral intake factor for ingestion of homegrown produce (kg/kg-day) Iff Inhalation intake factor for inhalation of suspended soil (kg/kg-day) IFi RfDo Oral reference dose (chemical specific) (mg/kg-day) = Inhalation reference dose (chemical specific) (mg/kg-day) RfDi =

Carcinogenic Effects:

RBCc =
$$\frac{10^6}{\text{(IFo + IFd + IFf)} \times \text{SFo + IFi} \times \text{SFi}}$$

where RBCc = Risk-based concentration for carcinogenic effects of chemicals in soil (chemical specific) (mg/kg)

 10^{-6} = Target cancer risk level (1 in 1,000,000).

IFo,d,f,i = Same as previous equation.

SFo = Oral cancer slope factor (chemical specific) (1/[mg/kg-day])

SFi = Inhalation cancer slope factor (chemical specific) (1/[mg/kg-day])

The equations are generic since all pathways do not apply to all chemicals, and toxicity factors are not available for all chemicals. Specific pathways that are not addressed for some chemicals include inhalation of volatile organics as particulate matter, uptake of non-metals by food grown in soil, and dermal absorption of polycyclic aromatic hydrocarbons. Volatile organics evaporate from airborne soil particles, and therefore, will not be inhaled as particulate matter. In addition, only metals are primarily taken up by food plants. In cases where toxicity factors do not exist for a given pathway, that pathway will not be included in the RBC calculation.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 68 OF 70

APPENDIX 8

Page 4 of 6

Intake Factors and Exposure Parameters:

The calculation of IFs for soil ingestion, dermal absorption, inhalation of particulates, and ingestion of food grown in soil are shown below. The exposure assumptions are based on CDH default values (CDH 1993).

Ingestion of Soil (Time-weighted average):

$$IF = \left[\frac{(IR_{child}) (ED_{child})}{(BW_{child})} + \frac{(IR_{adult}) (ED_{adult})}{(BW_{adult})} \right] \frac{(CF) (EF)}{(AT)}$$

1.6E-06 kg/kg-day (carcinogens) where IF Intake factor = 3.7E-06 kg/kg-day (noncarcinogens) IR_{child} Ingestion rate for child ages 1-6 = 200 mg/day Ingestion rate for ages 7 and up = 100 mg/dayIR_{adult} Exposure duration for child 1-6 = 6 yr ED_{child} Exposure duration for adult = 24 yrED_{adult} Body weight for child 1-6 = 15 kg BW_{child} Body weight for adult = 70 kg BW_{adult} = Conversion factor = 1E-06 kg/mgCF Exposure frequency = 350 days/yr EF = 25,550 days (70 yr) (carcinogens)Averaging time AT = 10,950 days (30 yr) (noncarcinogens)

Page 5 of 6.

Dermal Absorption from Soil (Time-Weighted Average)

$$IF = \left[\frac{(SA_{child})}{(BW_{child})} + \frac{(SA_{adult})}{(BW_{adult})} + \frac{(SA_{adult})}{(BW_{adult})}\right] \frac{(AB)}{(AT)} \frac{(AF)}{(AT)} \frac{(EF)}{(AT)} \frac{(CF)}{(AT)}$$
where IF = Intake Factor = 2.9E-05 kg/kg-day (carcinogens) = 6.8E-05 kg/kg-day (noncarcinogens)
$$SA_{child} = Exposed skin surface area for child ages 1-6 = 4,600 cm^2$$

$$SA_{adult} = Exposed skin surface area for ages 7 and up = 7,100 cm^2$$

$$ED_{child} = Exposure duration for child ages 1-6 = 6 years$$

$$ED_{adult} = Exposure duration for ages 7 and up = 24 years$$

$$BW_{child} = Body weight for child ages 1-6 = 15 kg$$

$$BW_{adult} = Body weight for adult = 70 kg$$

$$AB = Absorption factor = 0.5 (unitless)$$

$$AF = Adherence factor = 1.0 mg/cm^2/event$$

$$EF = Exposure frequency = 350 events/year$$

$$CF = Conversion factor = 1E-06 kg/mg$$

$$AT = Averaging time = 25,550 days (70 years) (carcinogens)$$

$$= 10,950 days (30 years) (noncarcinogens)$$

EPA (EPA 1989) guidance states that it is inappropriate to use oral slope factors as a measure of dermal absorption for carcinogenic polycyclic aromatic hydrocarbons (PAHs). Therefore, dermal absorption of PAHs is not included in calculating RBCs for PAHs.

4-H46-ENV-OPS-FO.29 REVISION 0 PAGE 70 OF 70

APPENDIX 8

Page 6 of 6

Inhalation of Soil Particulates (Time-weighted Average):

$$IF = \left[\frac{(IR_{child}) (ED_{child})}{(BW_{child})} + \frac{(IR_{adult}) (ED_{adult})}{(BW_{adult})}\right] \frac{(CF) (ET) (EF)}{(PEF) (AT)}$$

where IF = Intake factor = 4.1E-11 kg/kg-day (carcinogens) = 9.6E-11 kg/kg-day (noncarcinogens)

 IR_{child} = Inhalation rate for child ages 1-6 = 0.73 m³/hour

 IR_{adult} = Inhalation rate for ages 7 and up = 0.83 m³/hour

 ED_{child} = Exposure duration for child ages 1-6 = 6 years

 ED_{adult} = Exposure duration for ages 7 and up = 24 years

 BW_{child} = Body weight for child ages 1-6 = 15 kg

 BW_{adult} = Body weight for adult = 70 kg

CF = Conversion factor = 1E-06 kg/mg

ET = Exposure time = 24 hours/day

EF = Exposure frequency = 350 days/year

PEF = Particulate emission factor = 4630 m³/mg

AT = Averaging time = 25,550 days (70 years) (carcinogens)

= 10,950 days (30 years) (noncarcinogens)

Ingestion of Homegrown Fruits and Vegetables (Time-Weighted Average)

$$IF = \left[\frac{(ED_{child})}{(BW_{child})} + \frac{(ED_{adult})}{(BW_{adult})} \right] \frac{(IR) (FI) (EF) (CF) (TC)}{(AT)}$$

where IF = Intake factor = (TC)(4.5E-04) kg/kg-day (carcinogens)

= (TC)(1.0E-03) kg/kg-day (noncarcinogens)

 ED_{child} = Exposure duration for child ages 1-6 = 6 years

 ED_{adult} = Exposure duration for ages 7 and up = 24 years

 BW_{child} = Body weight for child ages 1-6 = 15 kg

 BW_{adult} = Body weight for adult = 70 kg

IR = Ingestion rate = 122,000 mg/day

FI = Fraction ingestion from a contaminated source = 0.36

EF = Exposure frequency = 350 days/year

CF = Conversion factor = 1E-06 kg/mg

TC = Chemical-specific soil to plant transfer coefficient

AT = Averaging time = 25,550 days (70 years) (carcinogens)